

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

BIBLIOGRAPHY FOR NOVALIS TX™

SRS/SBRT CLINICAL & TECHNICAL JOURNAL PUBLICATIONS FROM
VARIAN MEDICAL SYSTEMS AND BRAINLAB AG MEDICAL CENTERS
October 2009

BRAIN TUMORS – BENIGN

Benign Meningioma & Other Benign Tumors

Korah MP, Nowlan AW, Johnstone PA, Crocker IR. [Radiation Therapy Alone for Imaging-Defined Meningiomas](#). *Int J Radiat Oncol Biol Phys*. 2009 Apr 28. Emory University, Atlanta [Epub ahead of print]

Anker CJ, Shrieve DC. [Basic principles of radiobiology applied to radiosurgery and radiotherapy of benign skull base tumors](#). *Otolaryngol Clin North Am*. 2009 Aug;42(4):601-21. University of Utah, Salt Lake City

Kimball MM, Friedman WA, Foote KD, Bova FJ, Chi YY. [Linear Accelerator Radiosurgery for Cavernous Sinus Meningiomas](#). *Stereotact Funct Neurosurg*. 2009 Feb 27;87(2):120-127. University of Florida, Gainesville

Fogliata A, Clivio A, Nicolini G, Vanetti E, Cozzi L. [Intensity modulation with photons for benign intracranial tumours: a planning comparison of volumetric single arc, helical arc and fixed gantry techniques](#). *Radiother Oncol*. 2008 Dec;89(3):254-62. Oncology Institute of Southern Switzerland, Bellinzona, Switzerland.

[Girvigian MR, Chen JC, Rahimian J, Miller MJ, Tome M](#). Comparison of early complications for patients with convexity and parasagittal meningiomas treated with either stereotactic radiosurgery or fractionated stereotactic radiotherapy. *Neurosurgery*. 2008 May;62(5 Suppl):A19-27. Southern California Permanente Medical Group and Kaiser Foundation, Los Angeles, CA

[Hamm KD, Gross MW, Fahrig A, Surber G, Henzel M, Kleinert G, Grabenbauer GG, Engenhart-Cabillic R](#). Stereotactic radiotherapy for the treatment of nonacoustic schwannomas. *Neurosurgery*. 2008 May;62(5 Suppl):A29-36 Helios Klinikum Erfurt, Erfurt, Germany

[Kan P, Liu JK, Wendland MM, Shrieve D, Jensen RL](#). Peritumoral edema after stereotactic radiosurgery for intracranial meningiomas and molecular factors that predict its development. *J Neurooncol*. 2007 May;83(1):33-8. University of Utah, Salt Lake City

[Ernst-Stecken A, Lambrecht U, Mueller R, Ganslandt O, Sauer R, Grabenbauer G](#). Dose escalation in large anterior skull-base tumors by means of IMRT. First experience with the Novalis system. *Strahlenther Onkol*. 2006 Mar;182(3):183-9. University Hospital of Erlangen-Nuremberg, Erlangen, DE

[Shrieve DC, Hazard L, Boucher K, Jensen RL](#). Dose fractionation in stereotactic radiotherapy for parasellar meningiomas: radiobiological considerations of efficacy and optic nerve tolerance. *J Neurosurg*. 2004 Nov;101 Suppl 3:390-5. University of Utah, Salt Lake City

[Baumert BG, Villà S, Studer G, Mirimanoff RO, Davis JB, Landau K, Ducrey N, Arruga J, Lambin P, Pica A](#). Early improvements in vision after fractionated stereotactic radiotherapy for primary optic nerve sheath meningioma. *Radiother Oncol*. 2004 Aug;72(2):169-74. University Hospital Zurich, SW. [FullText+Links](#) | [PDF](#)

[Selch MT, Ahn E, Laskari A, Lee SP, Agazaryan N, Solberg TD, Cabatan-Awang C, Frighetto L, Desalles AA](#). Stereotactic radiotherapy for treatment of cavernous sinus meningiomas. *Int J Radiat Oncol Biol Phys*. 2004 May 1;59(1):101-11. UCLA, Los Angeles, [Full Text + Links](#) | [PDF](#)

[Biswas T, Sandhu AP, Singh DP, Schell MC, Maciunas RJ, Bakos RS, Muhs AG, Okunieff P](#). Low-dose radiosurgery for benign intracranial lesions. *Am J Clin Oncol*. 2003 Aug;26(4):325-31. University of Rochester Medical Center, Rochester, NY

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Torres RC, Frighetto L, De Salles AA, Goss B, Medin P, Solberg T, Ford JM, Selch M.](#) Radiosurgery and stereotactic radiotherapy for intracranial meningiomas. *Neurosurg Focus*. 2003 May 15;14(5):e5. *UCLA, Los Angeles* [PDF](#)

[Liu JK, Forman S, Moorthy CR, Benzil DL.](#) Update on treatment modalities for optic nerve sheath meningiomas. *Neurosurg Focus*. 2003 May 15;14(5):e7, *University of Utah, Salt Lake City*, [PDF](#)

[Andrews DW, Faroozan R, Yang BP, Hudes RS, Werner-Wasik M, Kim SM, Sergott RC, Savino PJ, Shields J, Shields C, Downes MB, Simeone FA, Goldman HW, Curran WJ Jr.](#) Fractionated stereotactic radiotherapy for the treatment of optic nerve sheath meningiomas: preliminary observations of 33 optic nerves in 30 patients with historical comparison to observation with or without prior surgery. *Neurosurgery*. 2002 Oct;51(4):890-902; discussion 903-4. *Thomas Jefferson University, Philadelphia*

[Villavicencio AT, Black PM, Shrieve DC, Fallon MP, Alexander E, Loeffler JS.](#) Linac radiosurgery for skull base meningiomas. *Acta Neurochir (Wien)*. 2001 Nov;143(11):1141-52. *Brigham and Women's Hospital, Boston*

[De Salles AA, Frighetto L, Grande CV, Solberg TD, Cabatan-Awang C, Selch MT, Wallace R, Ford J.](#) Radiosurgery and stereotactic radiation therapy of skull base meningiomas: proposal of a grading system. *Stereotact Funct Neurosurg*. 2001;76(3-4):218-29. *UCLA, Los Angeles*

[Shafron DH, Friedman WA, Buatti JM, Bova FJ, Mendenhall WM.](#) Linac radiosurgery for benign meningiomas. *Int J Radiat Oncol Biol Phys*. 1999 Jan 15;43(2):321-7. *University of Florida, Gainesville*

BRAIN TUMORS – BENIGN

Lin YC, Wang CC, Wai YY, Wan YL, Ng SH, Chen YL, Liu HL, Wang JJ. [Significant Temporal Evolution of Diffusion Anisotropy for Evaluating Early Response to Radiosurgery in Patients with Vestibular Schwannoma: Findings from Functional Diffusion Maps.](#) *AJNR Am J Neuroradiol*. 2009 Sep 24. *Chang Gung University, Taiwan, Republic of China*. [Epub ahead of print]

Vestibular Schwannoma (Acoustic Neuroma)

Lagerwaard FJ, Meijer OW, van der Hoorn EA, Verbakel WF, Slotman BJ, Senan S. [Volumetric modulated arc radiotherapy for vestibular schwannomas.](#) *Int J Radiat Oncol Biol Phys*. 2009 Jun 1;74(2):610-5. *VU University Medical Center, Amsterdam*

Andrews DW, Werner-Wasik M, Den RB, Paek SH, Downes-Phillips B, Willcox TO, Bednarz G, Maltenfort M, Evans JJ, Curran WJ Jr. [Toward dose optimization for fractionated stereotactic radiotherapy for acoustic neuromas: comparison of two dose cohorts.](#) *Int J Radiat Oncol Biol Phys*. 2009 Jun 1;74(2):419-26. *Thomas Jefferson University, Philadelphia*

[Friedman WA.](#) Linear accelerator radiosurgery for vestibular schwannomas. *Prog Neurol Surg*. 2008;21:228-37. *University of Florida, Gainesville*

[Kuo YH, Roos D, Brophy BP.](#) Linear accelerator radiosurgery for treatment of vestibular schwannomas in neurofibromatosis 2. *J Clin Neurosci*. 2008 Jul;15(7):744-8. *Royal Adelaide Hospital, North Terrace, Adelaide, AU*

[Meijer OW, Vandertop WP, Lagerwaard FJ, Slotman BJ.](#) Linear accelerator-based stereotactic radiosurgery for bilateral vestibular schwannomas in patients with neurofibromatosis type 2. *Neurosurgery*. 2008 May;62(5 Suppl):A37-43. *VU University Medical Center, Amsterdam*

[Beegle RD, Friedman WA, Bova FJ.](#) Effect of treatment plan quality on outcomes after radiosurgery for vestibular schwannoma. *J Neurosurg*. 2007 Nov;107(5):913-6 *University of Florida, Gainesville*.

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Radu A, Pica A, Villemure JG, Maire R.](#) [Indications and results of stereotactic radiosurgery with LINAC for the treatment of acoustic neuromas: preliminary results] *Ann Otolaryngol Chir Cervicofac.* 2007 Jul;124(3):110-4. *CHU Vaudois, Lausanne*

[Friedman WA, Bradshaw P, Myers A, Bova FJ.](#) Linear accelerator radiosurgery for vestibular schwannomas. *J Neurosurg.* 2006 Nov;105(5):657-61. *University of Florida, Gainesville*

[Selch MT, Pedroso A, Lee SP, Solberg TD, Agazaryan N, Cabatan-Awang C, DeSalles AA.](#) Stereotactic radiotherapy for the treatment of acoustic neuromas. *J Neurosurg.* 2004 Nov;101 Suppl 3:362-72. *UCLA, Los Angeles*

[Surber G, Hamm K, Kleinert G.](#) Significance of different conformity indices for evaluation of radiosurgery treatment plans for vestibular schwannomas. *J Neurosurg.* 2004 Nov;101 Suppl 3:334-40. *Helios Klinikum Erfurt, Germany*

[Perks JR, St George EJ, El Hamri K, Blackburn P, Plowman PN.](#) Stereotactic radiosurgery XVI: Isodosimetric comparison of photon stereotactic radiosurgery techniques (gamma knife vs. micromultileaf collimator linear accelerator) for acoustic neuroma--and potential clinical importance. *Int J Radiat Oncol Biol Phys.* 2003 Dec 1;57(5):1450-9. *St. Bartholomew's Hospital, London, [Full Text + Links](#), [PDF](#)*

[Meijer OW, Vandertop WP, Baayen JC, Slotman BJ.](#) Single-fraction vs. fractionated linac-based stereotactic radiosurgery for vestibular schwannoma: a single-institution study. *Int J Radiat Oncol Biol Phys.* 2003 Aug 1;56(5):1390-6. *VU University Medical Center, Amsterdam, [Full Text + Links](#), [PDF](#)*

[Friedman WA, Foote KD.](#) Linear accelerator-based radiosurgery for vestibular schwannoma, *Neurosurg Focus.* 2003 May 15;14(5):e2. *University of Florida, Gainesville, [PDF](#)*

[Foote KD, Friedman WA, Buatti JM, Meeks SL, Bova FJ, Kubilis PS.](#) Analysis of risk factors associated with radiosurgery for vestibular schwannoma. *J Neurosurg.* 2001 Sep;95(3):440-9. *University of Florida, Gainesville*

[Andrews DW, Suarez O, Goldman HW, Downes MB, Bednarz G, Corn BW, Werner-Wasik M, Rosenstock J, Curran WJ Jr.](#) Stereotactic radiosurgery and fractionated stereotactic radiotherapy for the treatment of acoustic schwannomas: comparative observations of 125 patients treated at one institution. *Int J Radiat Oncol Biol Phys.* 2001 Aug 1;50(5):1265-78. *Thomas Jefferson University, Philadelphia. [Full Text + Links](#) | [PDF](#)*

[Meeks SL, Buatti JM, Foote KD, Friedman WA, Bova FJ.](#) Calculation of cranial nerve complication probability for acoustic neuroma radiosurgery. *Int J Radiat Oncol Biol Phys.* 2000 Jun 1;47(3):597-602. *University of Florida, Gainesville*

[Mabanta SR, Buatti JM, Friedman WA, Meeks SL, Mendenhall WM, Bova FJ.](#) Linear accelerator radiosurgery for nonacoustic schwannomas. *Int J Radiat Oncol Biol Phys.* 1999 Feb 1;43(3):545-8. *University of Florida, Gainesville*

BRAIN TUMORS – BENIGN

Pituitary Adenoma, Craniopharyngioma and Cushing's Disease

[Ramakrishna N.](#) The role of fractionated radiotherapy and stereotactic radiosurgery for pituitary adenomas. *Nat Clin Pract Endocrinol Metab.* 2008 Mar;4(3):138-9. *Brigham and Women's Hospital – Harvard University, Boston*

[Devisetty K, Chen LF, Chmura SJ.](#) Evolving use of radiotherapy and radiosurgery in the treatment of pituitary adenomas. *Expert Rev Anticancer Ther.* 2006 Sep;6 Suppl 9:S93-8. Review. *University of Chicago, Chicago, IL*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Selch MT, Gorgulho A, Lee SP, Mattozo C, Solberg TD, Agazaryan N, Desalles AA](#). Stereotactic radiotherapy for the treatment of pituitary adenomas. *Minim Invasive Neurosurg*. 2006 Jun;49(3):150-5. *UCLA, Los Angeles*

[Colin P, Jovenin N, Delemer B, Caron J, Gullet H, Hecart AC, Lukas C, Bazin A, Bernard MH, Scherpereel B, Peruzzi P, Nakib I, Redon C, Rousseaux P](#). Treatment of pituitary adenomas by fractionated stereotactic radiotherapy: a prospective study of 110 patients. *Int J Radiat Oncol Biol Phys*. 2005 Jun 1;62(2):333-41. *Polyclinique Courlancy, Reims, FR*

[Devin JK, Allen GS, Cmelak AJ, Duggan DM, Blevins LS](#). The efficacy of linear accelerator radiosurgery in the management of patients with Cushing's disease. *Stereotact Funct Neurosurg*. 2004;82(5-6):254-62. *Vanderbilt University School of Medicine, Nashville*

[Swords FM, Allan CA, Plowman PN, Sibtain A, Evanson J, Chew SL, Grossman AB, Besser GM, Monson JP](#). Stereotactic radiosurgery XVI: a treatment for previously irradiated pituitary adenomas. *J Clin Endocrinol Metab*. 2003 Nov;88(11):5334-40. *St. Bartholomew's and The Royal London School of Medicine, London, United Kingdom*.

[Liu JK, Schmidt MH, MacDonald JD, Jensen RL, Couldwell WT](#). Hypophysial transposition (hypophysopexy) for radiosurgical treatment of pituitary tumors involving the cavernous sinus. Technical note. *Neurosurg Focus*. 2003 May 15;14(5):e11. *University of Utah, Salt Lake City, PDF*

[Selch MT, DeSalles AA, Wade M, Lee SP, Solberg TD, Wallace RE, Ford JM, Rubino G, Cabatan-Awang C, Withers HR](#). Initial clinical results of stereotactic radiotherapy for the treatment of craniopharyngiomas. *Technol Cancer Res Treat*. 2002 Feb;1(1):51-9. *UCLA, Los Angeles*

BRAIN TUMORS – MALIGNANT & METASTATIC

Glioma / Glioblastoma / Malignant Meningioma

Shaffer R, Nichol AM, Vollans E, Fong M, Nakano S, Moiseenko V, Schmuland M, Ma R, McKenzie M, Otto K. [A Comparison of Volumetric Modulated Arc Therapy and Conventional Intensity-Modulated Radiotherapy for Frontal and Temporal High-Grade Gliomas](#). *Int J Radiat Oncol Biol Phys*. 2009 Jun 26. *BC Cancer Agency, Vancouver, British Columbia, Canada [Epub ahead of print]*

Gutin PH, Iwamoto FM, Beal K, Mohile NA, Karimi S, Hou BL, Lymberis S, Yamada Y, Chang J, Abrey LE. [Safety and efficacy of bevacizumab with hypofractionated stereotactic irradiation for recurrent malignant gliomas](#). *Int J Radiat Oncol Biol Phys*. 2009 Sep 1;75(1):156-63. *Memorial Sloan-Kettering Cancer Center, New York, NY*

Schwer AL, Kavanagh BD, McCammon R, Gaspar LE, Kleinschmidt-De Masters BK, Stuhr K, Chen C. [Radiographic and Histopathologic Observations After Combined EGFR Inhibition and Hypofractionated Stereotactic Radiosurgery in Patients with Recurrent Malignant Gliomas](#). *Int J Radiat Oncol Biol Phys*. 2009 Apr 1;73(5):1352-7. *University of Colorado Denver, Aurora, CO*

Biswas T, Okunieff P, Schell MC, Smudzin T, Pilcher WH, Bakos RS, Vates GE, Walter KA, Wensel A, Korones DN, Milano MT. [Stereotactic radiosurgery for glioblastoma: retrospective analysis](#). *Radiat Oncol*. 2009 Mar 17;4(1):11. *University of Rochester, Rochester, NY*

[Krishnan AP, Asher IM, Davis D, Okunieff P, O'Dell WG](#). Evidence that MR diffusion tensor imaging (tractography) predicts the natural history of regional progression in patients irradiated conformally for primary brain tumors. *Int J Radiat Oncol Biol Phys*. 2008 Aug 1;71(5):1553-62. *University of Rochester, Rochester, NY*

[Swinson BM, Friedman WA](#). Linear accelerator stereotactic radiosurgery for metastatic brain tumors: 17 years of experience at the University of Florida. *Neurosurgery*. 2008 May;62(5):1018-31; discussion 1031-2. *University of Florida, Gainesville*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Mattozo CA, De Salles AA, Klement IA, Gorgulho A, McArthur D, Ford JM, Agazaryan N, Kelly DF, Selch MT.](#) Stereotactic radiation treatment for recurrent nonbenign meningiomas. *J Neurosurg.* 2007 May;106(5):846-54. *UCLA, Los Angeles*

[Han SR, Yoon SW, Yee GT, Choi CY, Sohn MJ, Lee DJ, Whang CJ.](#) Novalis radiosurgery of optic gliomas in children: preliminary report. *Pediatr Neurosurg.* 2007;43(4):251-7. *Inje University, Goyang, KR*

[Ernst-Stecken A, Ganslandt O, Lambrecht U, Sauer R, Grabenbauer G.](#) Survival and quality of life after hypofractionated stereotactic radiotherapy for recurrent malignant glioma. *J Neurooncol.* 2007 Feb;81(3):287-94. *University of Erlangen, Erlangen, Germany*

[Lo SS, Chang EL, Sloan AE.](#) Role of stereotactic radiosurgery and fractionated stereotactic radiotherapy in the management of intracranial ependymoma. *Expert Rev Neurother.* 2006 Apr;6(4):501-7. *MD Anderson Cancer Center, Houston, PDF Access*

[Ulm AJ 3rd, Friedman WA, Bradshaw P, Foote KD, Bova FJ.](#) Radiosurgery in the treatment of malignant gliomas: the University of Florida experience. *Neurosurgery.* 2005 Sep;57(3):512-7; discussion 512-7. *University of Florida, Gainesville*

[Mahajan A, McCutcheon IE, Suki D, Chang EL, Hassenbusch SJ, Weinberg JS, Shiu A, Maor MH, Woo SY.](#) Case-control study of stereotactic radiosurgery for recurrent glioblastoma multiforme. *J Neurosurg.* 2005 Aug;103(2):210-7. *MD Anderson Cancer Center, Houston*

[Souhami L, Seiferheld W, Brachman D, Podgorsak EB, Werner-Wasik M, Lustig R, Schultz CJ, Sause W, Okunieff P, Buckner J, Zamorano L, Mehta MP, Curran WJ Jr.](#) Randomized comparison of stereotactic radiosurgery followed by conventional radiotherapy with carmustine to conventional radiotherapy with carmustine for patients with glioblastoma multiforme: report of Radiation Therapy Oncology Group 93-05 protocol. *Int J Radiat Oncol Biol Phys.* 2004 Nov 1;60(3):853-60. *McGill University, Montreal*

[Buatti JM, Friedman WA, Meeks SL, Bova FJ.](#) RTOG 90-05: the real conclusion. *Int J Radiat Oncol Biol Phys.* 2000 May 1;47(2):269-71. *University of Florida, Gainesville*

BRAIN TUMORS – MALIGNANT & METASTATIC

Metastatic Disease

Nath SK, Lawson JD, Wang JZ, Simpson DR, Newman CB, Alksne JF, Mundt AJ, Murphy KT, [Optically-guided frameless linac-based radiosurgery for brain metastases: clinical experience.](#) *J Neurooncol.* 2009 Aug 23 *University of California, San Diego* [Epub ahead of print]

Hsu F, Carolan H, Nichol A, Cao F, Nuraney N, Lee R, Gete E, Wong F, Schmuland M, Heran M, Otto K. [Whole Brain Radiotherapy with Hippocampal Avoidance and Simultaneous Integrated Boost for 1-3 Brain Metastases: A Feasibility Study Using Volumetric Modulated Arc Therapy.](#) *Int J Radiat Oncol Biol Phys.* 2009 Jul 20. *BC Cancer Agency, Vancouver, British Columbia, Canada* [Epub ahead of print]

Lagerwaard FJ, van der Hoorn EA, Verbakel WF, Haasbeek CJ, Slotman BJ, Senan S. [Whole-Brain Radiotherapy With Simultaneous Integrated Boost to Multiple Brain Metastases Using Volumetric Modulated Arc Therapy.](#) *Int J Radiat Oncol Biol Phys.* 2009 Sep 1;75(1):253-9. *VU University Medical Center, Amsterdam, The Netherlands*

Breneman JC, Steinmetz R, Smith A, Lamba M, Warnick RE. [Frameless Image-Guided Intracranial Stereotactic Radiosurgery: Clinical Outcomes for Brain Metastases.](#) *Int J Radiat Oncol Biol Phys.* 2009 . 2009 Jul 1;74(3):702-6 , *Cincinnati Neuroscience Institute, Cincinnati*

Hoefnagels FW, Lagerwaard FJ, Sanchez E, Haasbeek CJ, Knol DL, Slotman BJ, Peter Vandertop W. [Radiological progression of cerebral metastases after radiosurgery: assessment of perfusion MRI for differentiating between necrosis and recurrence.](#) *J Neurol.* 2009 Jun;256(6):878-87. *VU University Medical Centre, Amsterdam, The Netherlands*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Samlowski WE, Majer M, Boucher KM, Shrieve AF, Dechet C, Jensen RL, Shrieve DC.](#) Multidisciplinary treatment of brain metastases derived from clear cell renal cancer incorporating stereotactic radiosurgery. *Cancer*. 2008 Nov 1;113(9):2539-48. *University of Utah, Salt Lake City*

[Swinson BM, Friedman WA.](#) Linear accelerator stereotactic radiosurgery for metastatic brain tumors: 17 years of experience at the University of Florida. *Neurosurgery*. 2008 May;62(5):1018-32; *University of Florida, Gainesville*

[Samlowski WE, Jensen RL, Shrieve DC.](#) Multimodality management of brain metastases in metastatic melanoma patients. *Expert Rev Anticancer Ther*. 2007 Dec;7(12):1699-705. *Univ. of Utah, Salt Lake City*

[Fahrig A, Ganslandt O, Lambrecht U, Grabenbauer G, Kleinert G, Sauer R, Hamm K.](#) Hypofractionated Stereotactic Radiotherapy for Brain Metastases : Results from Three Different Dose Concepts. *Strahlenther Onkol*. 2007 Nov;183(11):625-630. *University of Erlangen, Germany*

[Akyurek S, Chang EL, Mahajan A, Hassenbusch SJ, Allen PK, Mathews LA, Shiu AS, Maor MH, Woo SY.](#) Stereotactic radiosurgical treatment of cerebral metastases arising from breast cancer. *Am J Clin Oncol*. 2007 Jun;30(3):310-4. *MD Anderson Cancer Center, Houston*

[Teh BS, Bloch C, Paulino AC, Shen S, Hinckley L, Baskin D, Butler EB, Amato R.](#) Pathologic complete response in renal cell carcinoma brain metastases treated with stereotactic radiosurgery. *Clin Genitourin Cancer*. 2007 Jun;5(5):334-7. *Baylor College of Medicine – The Methodist Hospital, Houston*

[Samlowski WE, Watson GA, Wang M, Rao G, Klimo P Jr, Boucher K, Shrieve DC, Jensen RL.](#) Multimodality treatment of melanoma brain metastases incorporating stereotactic radiosurgery (SRS). *Cancer*. 2007 May 1;109(9):1855-62. *University of Utah, Salt Lake City*

[Chang EL, Wefel JS, Maor MH, Hassenbusch SJ 3rd, Mahajan A, Lang FF, Woo SY, Mathews LA, Allen PK, Shiu AS, Meyers CA.](#) A pilot study of neurocognitive function in patients with one to three new brain metastases initially treated with stereotactic radiosurgery alone. *Neurosurgery*. 2007 Feb;60(2):277-83; discussion 283-4. *MD Anderson Cancer Center, Houston*

[Narayana A, Chang J, Yenice K, Chan K, Lymberis S, Brennan C, Gutin PH.](#) Hypofractionated stereotactic radiotherapy using intensity-modulated radiotherapy in patients with one or two brain metastases. *Stereotact Funct Neurosurg*. 2007;85(2-3):82-7. *Memorial Sloan-Kettering Cancer Center, New York*

[Ernst-Stecken A, Ganslandt O, Lambrecht U, Sauer R, Grabenbauer G.](#) Phase II trial of hypofractionated stereotactic radiotherapy for brain metastases: results and toxicity. *Radiother Oncol*. 2006 Oct;81(1):18-24. *University of Erlangen-Nuremberg, Erlangen, DE*, [Full Text + Links](#) | [PDF](#)

[Bahl G, White G, Alksne J, Vemuri L, Spear MA.](#) Focal radiation therapy of brain metastases after complete surgical resection. *Med Oncol*. 2006;23(3):317-24. *University of California at San Diego*

[Doh LS, Amato RJ, Paulino AC, Teh BS.](#) Radiation therapy in the management of brain metastases from renal cell carcinoma. *Oncology (Williston Park)*. 2006 May;20(6):603-13; discussion 613, 616, 619-20. *Baylor College of Medicine – The Methodist Hospital, Houston*

[Binder D, Temmesfeld-Wollbrück B, Wurm R, Woiciechowsky C, Schaper C, Schurmann D, Suttorp N, Beinert T.](#) [Brain metastases of lung cancer] *Dtsch Med Wochenschr*. 2006 Jan 27;131(4):165-71. *Charité-Universitätsmedizin, Berlin, DE*

[Hazard LJ, Jensen RL, Shrieve DC.](#) Role of stereotactic radiosurgery in the treatment of brain metastases. *Am J Clin Oncol*. 2005 Aug;28(4):403-10. *University of Utah, Salt Lake City*

[Lo SS, Chang EL, Suh JH.](#) Stereotactic radiosurgery with and without whole-brain radiotherapy for newly diagnosed brain metastases. *Expert Rev Neurother*. 2005 Jul;5(4):487-95. *MD Anderson, Houston*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Fowler BZ, Crocker IR, Johnstone PA](#). Perineural spread of cutaneous malignancy to the brain: a review of the literature and five patients treated with stereotactic radiotherapy. *Cancer*. 2005 May 15;103(10):2143-53. Emory University School of Medicine, Atlanta

[Chang EL, Selek U, Hassenbusch SJ 3rd, Maor MH, Allen PK, Mahajan A, Sawaya R, Woo SY](#). Outcome variation among "radioresistant" brain metastases treated with stereotactic radiosurgery. *Neurosurgery*. 2005 May;56(5):936-45; discussion 936-45. MD Anderson Cancer Center, Houston

[Ulm AJ, Friedman WA, Bova FJ, Bradshaw P, Amdur RJ, Mendenhall WM](#). Linear accelerator radiosurgery in the treatment of brain metastases. *Neurosurgery*. 2004 Nov;55(5):1076-85. University of Florida, Gainesville

[Okunieff P, Schell MC, Ruo R, Hale ER, O'Dell WG, Pilcher W](#). Long-term management of patients with multiple brain metastases after shaped beam radiosurgery. Case report and review of the literature. *J Neurosurg*. 2004 Nov;101 Suppl 3:406-12. University of Rochester Medical Center, Rochester, NY

[Selek U, Chang EL, Hassenbusch SJ 3rd, Shiu AS, Lang FF, Allen P, Weinberg J, Sawaya R, Maor MH](#). Stereotactic radiosurgical treatment in 103 patients for 153 cerebral melanoma metastases. *Int J Radiat Oncol Biol Phys*. 2004 Jul 15;59(4):1097-106. MD Anderson Cancer Center, Houston [Full Text + Links](#), [PDF](#).

[Chang EL, Hassenbusch SJ 3rd, Shiu AS, Lang FF, Allen PK, Sawaya R, Maor MH](#). The role of tumor size in the radiosurgical management of patients with ambiguous brain metastases. *Neurosurgery*. 2003 Aug;53(2):272-80; discussion 280-1. MD Anderson Cancer Center, Houston

[Chitapanarux I, Goss B, Vongtama R, Frighetto L, De Salles A, Selch M, Duick M, Solberg T, Wallace R, Cabatan-Awang C, Ford J](#). Prospective study of stereotactic radiosurgery without whole brain radiotherapy in patients with four or less brain metastases: incidence of intracranial progression and salvage radiotherapy. *J Neurooncol*. 2003 Jan;61(2):143-9. UCLA, Los Angeles

[Sanghavi SN, Miranpuri SS, Chappell R, Buatti JM, Sneed PK, Suh JH, Regine WF, Weltman E, King VJ, Goetsch SJ, Breneman JC, Sperduto PW, Scott C, Mabanta S, Mehta MP](#). Radiosurgery for patients with brain metastases: a multi-institutional analysis, stratified by the RTOG recursive partitioning analysis method. *Int J Radiat Oncol Biol Phys*. 2001 Oct 1;51(2):426-34 U of Wisconsin, Madison

[Manning MA, Cardinale RM, Benedict SH, Kavanagh BD, Zwicker RD, Amir C, Broaddus WC](#). Hypofractionated stereotactic radiotherapy as an alternative to radiosurgery for the treatment of patients with brain metastases. *Int J Radiat Oncol Biol Phys*. 2000 Jun 1;47(3):603-8 UCLA, Los Angeles, [Full Text + Links](#) | [PDF](#).

[Shaw E, Scott C, Souhami L, Dinapoli R, Kline R, Loeffler J, Farnan N](#). Single dose radiosurgical treatment of recurrent previously irradiated primary brain tumors and brain metastases: final report of RTOG protocol 90-05. *Int J Radiat Oncol Biol Phys*. 2000 May 1;47(2):291-8. Wake Forest University, Winston Salem.

Pediatric Brain

Keshavarzi S, Meltzer H, Ben-Haim S, Benjamin Newman C, D Lawson J, Levy ML, Murphy K. [Initial clinical experience with frameless optically guided stereotactic radiosurgery/radiotherapy in pediatric patients](#). *Childs Nerv Syst*. 2009 Jul;25(7):837-44. University of California, San Diego, San Diego

Fogliata A, Yartsev S, Nicolini G, Clivio A, Vanetti E, Wytenbach R, Bauman G, Cozzi L. [On the performances of Intensity Modulated Protons, RapidArc and Helical Tomotherapy for selected paediatric cases](#). *Radiat Oncol*. 2009 Jan 14;4:2. Oncology Institute of Southern Switzerland, Bellinzona, SZ

[Buis DR, Dirven CM, Lagerwaard FJ, Mandl ES, Lycklama Å Nijeholt GJ, Eshghi DS, van den Berg R, Baayen JC, Meijer OW, Slotman BJ, Vandertop WP](#). Radiosurgery of brain arteriovenous malformations in children. *J Neurol*. 2008 Apr;255(4):551-60., VU University Medical Center, Amsterdam

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Lo SS, Fakiris AJ, Abdulrahman R, Henderson MA, Chang EL, Suh JH, Timmerman RD.](#) Role of stereotactic radiosurgery and fractionated stereotactic radiotherapy in pediatric brain tumors. *Expert Rev Neurother.* 2008 Jan;8(1):121-32. Review. *Ohio State University Medical Center, Columbus, OH*

[Han SR, Yoon SW, Yee GT, Choi CY, Sohn MJ, Lee DJ, Whang CJ.](#) Novalis radiosurgery of optic gliomas in children: preliminary report. *Pediatr Neurosurg.* 2007;43(4):251-7. *Inje University, Goyang, KR, [PDFAccess](#)*

[Loeffler JS, Rossitch E Jr, Siddon R, Moore MR, Rockoff MA, Alexander E 3rd.](#) Role of stereotactic radiosurgery with a linear accelerator in treatment of intracranial arteriovenous malformations and tumors in children. *Pediatrics.* 1990 May;85(5):774-82. *Children's Hospital, Boston*

[Benk V, Clark BG, Souhami L, Algan O, Bahary J, Podgorsak EB, Freeman CR.](#) Stereotactic radiation in primary brain tumors in children and adolescents. *Pediatr Neurosurg.* 1999 Aug;31(2):59-64. *McGill University, Montreal, Quebec*

BRAIN – FUNCTIONAL DISEASE

Trigeminal Neuralgia and other Pain

[Chen JC, Greathouse HE, Girvigian MR, Miller MJ, Liu A, Rahimian J.](#) Prognostic factors for radiosurgery treatment of trigeminal neuralgia. *Neurosurgery.* 2008 May;62(5 Suppl):A53-61. *Southern California Permanente Medical Group and Kaiser Foundation, Los Angeles*

[Pusztaszeri M, Villemure JG, Regli L, Do HP, Pica A.](#) Radiosurgery for trigeminal neuralgia using a linear accelerator with BrainLab system: report on initial experience in Lausanne, Switzerland. *Swiss Med Wkly.* 2007 Dec 1;137(47-48):682-6. *Centre Hospitalier Universitaire Vaudois, Lausanne, SW*

[Gorgulho AA, De Salles AA.](#) Impact of radiosurgery on the surgical treatment of trigeminal neuralgia. *Surg Neurol.* 2006 Oct;66(4):350-6. *UCLA, Los Angeles, [Full Text + Links](#) | [PDF](#)*

[Gorgulho A, De Salles AA, McArthur D, Agazaryan N, Medin P, Solberg T, Mattozo C, Ford J, Lee S, Selch MT.](#) Brainstem and trigeminal nerve changes after radiosurgery for trigeminal pain. *Surg Neurol.* 2006 Aug;66(2):127-35; discussion 135. *UCLA, Los Angeles, [Full Text + Links](#) | [PDF](#)*

[Chen JC, Girvigian M, Greathouse H, Miller M, Rahimian J.](#) Treatment of trigeminal neuralgia with linear accelerator radiosurgery: initial results. *J Neurosurg.* 2004 Nov;101 Suppl 3:346-50. *Southern California Permanente Medical Group, Los Angeles*

[Rahimian J, Chen JC, Rao AA, Girvigian MR, Miller MJ, Greathouse HE.](#) Geometrical accuracy of the Novalis stereotactic radiosurgery system for trigeminal neuralgia. *J Neurosurg.* 2004 Nov;101 Suppl 3:351-5. *Southern California Permanente Medical Group, Los Angeles*

[Frighetto L, De Salles AA, Smith ZA, Goss B, Selch M, Solberg T.](#) Noninvasive linear accelerator radiosurgery as the primary treatment for trigeminal neuralgia. *Neurology.* 2004 Feb 24;62(4):660-2. *UCLA, Los Angeles*

[Goss BW, Frighetto L, DeSalles AA, Smith Z, Solberg T, Selch M.](#) Linear accelerator radiosurgery using 90 gray for essential trigeminal neuralgia: results and dose volume histogram analysis. *Neurosurgery.* 2003 Oct;53(4):823-8; discussion 828-30. *UCLA, Los Angeles*

[De Salles AA, Frighetto L, Lacan G, Melega W.](#) Radiosurgery can achieve precision needed for functional neurosurgery. *Arch Neurol.* 2003 Oct;60(10):1494-6. *UCLA, Los Angeles*

[Smith ZA, De Salles AA, Frighetto L, Goss B, Lee SP, Selch M, Wallace RE, Cabatan-Awang C, Solberg T.](#) Dedicated linear accelerator radiosurgery for the treatment of trigeminal neuralgia. *J Neurosurg.* 2003 Sep;99(3):511-6. *UCLA, Los Angeles*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

BRAIN – FUNCTIONAL DISEASE

BRAIN – Arteriovenous Malformations and Cavernomas

Raffa SJ, Chi YY, Bova FJ, Friedman WA. [Validation of the radiosurgery-based arteriovenous malformation score in a large linear accelerator radiosurgery experience.](#) *J Neurosurg.* 2009 Oct;111(4):832-9. University of Florida, Gainesville

[Hamm KD, Klisch J, Surber G, Kleinert G, Eger C, Aschenbach R.](#) Special aspects of diagnostic imaging for radiosurgery of arteriovenous malformations. *Neurosurgery.* 2008 May;62(5 Suppl):A44-52 *Helios Klinikum Erfurt, Erfurt, Germany*

[Veznedaroglu E, Andrews DW, Benitez RP, Downes MB, Werner-Wasik M, Rosenstock J, Curran WJ Jr, Rosenwasser RH.](#) Fractionated stereotactic radiotherapy for the treatment of large arteriovenous malformations with or without previous partial embolization. *Neurosurgery.* 2008 Feb;62 Suppl 2:519-30; discussion 530-1. *Thomas Jefferson Hospital, Philadelphia*

[Moreno-Jimenez S, Celis MA, Larraga-Gutierrez JM, Suarez-Campos Jde J, Garcia-Garduño A, Hernandez-Bojorquez M, Gutiérrez-Aceves GA.](#) Intracranial arteriovenous malformations treated with LINAC-based conformal radiosurgery: validation of the radiosurgery-based arteriovenous malformation score as a predictor of outcome. *Neurol Res.* 2007 Oct;29(7):712-6. *Instituto Nacional de Neurología y Neurocirugía, Tlalpan, México*

[Hsu PW, Chang CN, Tseng CK, Wei KC, Wang CC, Chuang CC, Huang YC.](#) Treatment of epileptogenic cavernomas: surgery versus radiosurgery. *Cerebrovasc Dis.* 2007;24(1):116-20, *Chang Gung Memorial Hospital, Tao Yuan, Taiwan, ROC*

[Jahan R, Solberg TD, Lee D, Medin P, Tateshima S, De Salles A, Sayre J, Vinters HV, Vinuela F.](#) An arteriovenous malformation model for stereotactic radiosurgery research. *Neurosurgery.* 2007 Jul;61(1):152-9; discussion 159. *UCLA, Los Angeles*

[Moreno-Jimenez S, Celis MA, Larraga-Gutierrez JM, de Jesus Suarez-Campos J, Garcia-Garduno A, Hernandez-Bojorquez M.](#) Intracranial arteriovenous malformations treated with linear accelerator-based conformal radiosurgery: clinical outcome and prediction of obliteration. *Surg Neurol.* 2007 May;67(5):487-91; discussion 491-2. *National Institute of Neurology and Neurosurgery, Mexico City, MX* [Full Text + Links](#), [PDF](#)

[Cover KS, Lagerwaard FJ, van den Berg R, Buis DR, Slotman BJ.](#) Color intensity projection of digitally subtracted angiography for the visualization of brain arteriovenous malformations. *Neurosurgery.* 2007 Mar;60(3):511-4; discussion 514-5. *VU University Medical Center, Amsterdam*

[Buis DR, Lagerwaard FJ, Dirven CM, Barkhof F, Knol DL, van den Berg R, Slotman BJ, Vandertop WP.](#) Delineation of brain AVMs on MR-Angiography for the purpose of stereotactic radiosurgery. *Int J Radiat Oncol Biol Phys.* 2007 Jan 1;67(1):308-16. *VU University Medical Center, Amsterdam*

[Huang YC, Tseng CK, Chang CN, Wei KC, Liao CC, Hsu PW.](#) LINAC radiosurgery for intracranial cavernous malformation: 10-year experience. *Clin Neurol Neurosurg.* 2006 Dec;108(8):750-6 *Chang Gung Memorial Hospital, Tao Yuan, Taiwan, ROC*, [Full Text + Links](#) | [PDF](#)

[Moreno-Jiménez S, Celis-López MA, Lárraga-Gutiérrez JM, Herrera-Gómez L, Suárez-Campos JJ, García-Garduño A, Hernández-Bojórquez M.](#) [Intracranial arteriovenous malformations and radiosurgery with LINAC: review article] *Neurocirugía (Astur).* 2006 Aug;17(4):317-23, *Instituto Nacional de Neurología y Neurocirugía MVS, México*

[Perks JR, Yang C, Sahrakar K, Pappas C, Hartman J, Kubo H, Chen A.](#) Linear accelerator-based radiosurgery for multiple arteriovenous malformations: case report. *Am J Neuroradiol.* 2005 Aug;26(7):1852-4. *UC Davis Medical Center, Sacramento* [PDF](#)

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Buis DR, Lagerwaard FJ, Barkhof F, Dirven CM, Lycklama GJ, Meijer OW, van den Berg R, Langendijk HA, Slotman BJ, Vandertop WP.](#) Stereotactic radiosurgery for brain AVMs: role of interobserver variation in target definition on digital subtraction angiography. *Int J Radiat Oncol Biol Phys.* 2005 May 1;62(1):246-52. *VU University Medical Center, Amsterdam*, [Full Text + Links](#) | [PDF](#)

[Scarborough TJ, Crocker IR, Davis LW, Barrow DL, Fowler BZ, Oyesiku NM.](#) Intracranial arteriovenous malformations treated utilizing a linear accelerator-based patient rotator or commercially available radiosurgery system. *Stereotact Funct Neurosurg.* 2005;83(2-3):91-100. *Emory University, Atlanta*

[Pedroso AG, De Salles AA, Tajik K, Golish R, Smith Z, Frighetto L, Solberg T, Cabatan-Awang C, Selch MT.](#) Novalis Shaped Beam Radiosurgery of arteriovenous malformations. *J Neurosurg.* 2004 Nov;101 Suppl 3:425-34. *UCLA, Los Angeles*

[Zipfel GJ, Bradshaw P, Bova FJ, Friedman WA.](#) Do the morphological characteristics of arteriovenous malformations affect the results of radiosurgery? *J Neurosurg.* 2004 Sep;101(3):393-401. *University of Florida, Gainesville*

[Friedman WA.](#) LINAC radiosurgery for arteriovenous malformations, *Operative Techniques in Neurosurgery*, 6(2) (June), 2003: 83-88, *University of Florida, Gainesville*, [Full Text + Links](#), [PDF](#)

[Friedman WA, Bova FJ, Bollampally S, Bradshaw P.](#) Analysis of factors predictive of success or complications in arteriovenous malformation radiosurgery. *Neurosurgery.* 2003 Feb;52(2):296-307; discussion 307-8. *University of Florida, Gainesville*

[Mobin F, De Salles AA, Abdelaziz O, Cabatan-Awang C, Solberg T, Selch.](#) Stereotactic radiosurgery of cerebral arteriovenous malformations: appearance of perinidal T(2) hyperintensity signal as a predictor of favorable treatment response. *Stereotact Funct Neurosurg.* 1999;73(1-4):50-9. *UCLA, Los Angeles, CA*

[Friedman WA, Blatt DL, Bova FJ, Buatti JM, Mendenhall WM, Kubilis PS.](#) The risk of hemorrhage after radiosurgery for arteriovenous malformations. *J Neurosurg.* 1996 Jun;84(6):912-9. *University of Florida, Gainesville.*

[Friedman WA, Bova FJ, Mendenhall WM.](#) Linear accelerator radiosurgery for arteriovenous malformations: the relationship of size to outcome. *J Neurosurg.* 1995 Feb;82(2):180-9. *University of Florida, Gainesville.*

[Friedman WA, Bova FJ.](#) Linear accelerator radiosurgery for arteriovenous malformations. *J Neurosurg.* 1992 Dec;77(6):832-41. *University of Florida, Gainesville*

BRAIN – FUNCTIONAL DISEASE

BRAIN – Seizure Treatment: Thalamotomy & Corpus Callosotomy

[Celis MA, Moreno-Jimenez S, Larraga-Gutierrez JM, Alonso-Vanegas MA, Garcia-Garduno OA, Martinez-Juarez IE, Fernandez-Gonzalez MC.](#) Corpus callosotomy using conformal stereotactic radiosurgery. *Childs Nerv Syst.* 2007 Aug;23(8):917-20. *Instituto Nacional de Neurología y Neurocirugía, Tlalpan, México*

[Selch MT, Gorgulho A, Mattozo C, Solberg TD, Cabatan-Awang C, DeSalles AA.](#) Linear accelerator stereotactic radiosurgery for the treatment of gelastic seizures due to hypothalamic hamartoma. *Minim Invasive Neurosurg.* 2005 Oct;48(5):310-4. *UCLA, Los Angeles*

[Frighetto L, De Salles A, Wallace R, Ford J, Selch M, Cabatan-Awang C, Solberg T.](#) Linear accelerator thalamotomy. *Surg Neurol.* 2004 Aug;62(2):106-13; discussion 113-4. *UCLA, Los Angeles* [Full Text + Links](#), [PDF](#)

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

SPINE

Spine – Metastatic Spinal Disease, Primary Spine Tumors, Vascular Spine Disease

Sahgal A, Ma L, Gibbs I, Gerszten PC, Ryu S, Soltys S, Weinberg V, Wong S, Chang E, Fowler J, Larson DA. [Spinal Cord Tolerance for Stereotactic Body Radiotherapy](#). *Int J Radiat Oncol Biol Phys*. 2009 Sep 16. includes Henry Ford Hospital and MD Anderson Cancer Center [Epub ahead of print]

Wu QJ, Yoo S, Kirkpatrick JP, Thongphiew D, Yin FF. [Volumetric Arc Intensity-Modulated Therapy for Spine Body Radiotherapy: Comparison with Static Intensity-Modulated Treatment](#). *Int J Radiat Oncol Biol Phys*. 2009 Sep 3. Duke University Medical Center, Durham, NC [Epub ahead of print]

Nguyen QN, Shiu AS, Rhines LD, Wang H, Allen PK, Wang XS, Chang EL. [Management of Spinal Metastases from Renal Cell Carcinoma Using Stereotactic Body Radiotherapy](#). *Int J Radiat Oncol Biol Phys*. 2009 Jul 23. MD Anderson Cancer Center, Houston [Epub ahead of print]

Parikh S, Heron DE. [Fractionated radiosurgical management of intramedullary spinal cord metastasis: A case report and review of the literature](#). *Clin Neurol Neurosurg*. 2009 Jul 27. University of Pittsburgh Medical Center, Pittsburgh [Epub ahead of print]

Selch MT, Lin K, Agazaryan N, Tenn S, Gorgulho A, Demarco JJ, Desalles AA. [Initial clinical experience with image-guided linear accelerator-based spinal radiosurgery for treatment of benign nerve sheath tumors](#). *Surg Neurol*. 2009 Jul 14. UCLA, Los Angeles [Epub ahead of print]

Chawla S, Abu-Aita R, Philip A, Lundquist T, Okunieff P, Milano MT. [Stereotactic Radiosurgery for Spinal Metastases: Case Report and Review Of Treatment Options](#). *Bone*. 2009 Oct;45(4):817-21.. University of Rochester Medical Center, Rochester, NY

Sohn MJ, Lee DJ, Jeon SR, Khang SK. [Spinal radiosurgical treatment for thoracic epidural cavernous hemangioma presenting as radiculomyelopathy: technical case report](#). *Neurosurgery*. 2009 Jun;64(6):E1202-3. Inje University Ilsan Paik Hospital, Goyang City, Korea

Nelson JW, Yoo DS, Sampson JH, Isaacs RE, Larrier NA, Marks LB, Yin FF, Wu QJ, Wang Z, Kirkpatrick JP. [Stereotactic Body Radiotherapy for Lesions of The Spine and Paraspinal Regions](#). *Int J Radiat Oncol Biol Phys*, 2009 Apr, 73(5):1369-75 Duke University Center, Durham

Sohn MJ, Lee DJ, Yoon SW, Lee HR, Hwang YJ. [The effective application of segmental image fusion in spinal radiosurgery for improved targeting of spinal tumours](#). *Acta Neurochir (Wien)*. 2009 Mar;151(3):231-8; Inje University Ilsan Paik Hospital, Goyang City, Korea

Wu AJ, Bilsky MH, Edgar MA, Yamada Y. [Near-complete pathological response of chordoma to high-dose single-fraction radiotherapy: case report](#). *Neurosurgery*. 2009 Feb;64(2):E389-90. Memorial Sloan-Kettering Cancer Center, New York

[Zeman RJ, Wen X, Ouyang N, Rocchio R, Shih L, Alfieri A, Moorthy C, Etlinger JD](#). Stereotactic Radiosurgery Improves Locomotor Recovery after Spinal Cord Injury in Rats. *Neurosurgery*. 2008 Nov;63(5):981-988. Westchester Medical Center / NY Medical College, Valhalla

[Kriminski SA, Lovelock DM, Seshan VE, Ali I, Munro P, Amols HI, Fuks Z, Bilsky M, Yamada Y](#). Comparison of kilovoltage cone-beam computed tomography with megavoltage projection pairs for paraspinal radiosurgery patient alignment and position verification. *Int J Radiat Oncol Biol Phys*. 2008 Aug 1;71(5):1572-80. Memorial Sloan-Kettering Cancer Center, New York

[Yamada Y, Bilsky MH, Lovelock DM, Venkatraman ES, Toner S, Johnson J, Zatzky J, Zelefsky MJ, Fuks Z](#). High-dose, single-fraction image-guided intensity-modulated radiotherapy for metastatic spinal lesions. *Int J Radiat Oncol Biol Phys*. 2008 Jun 1;71(2):484-90. Memorial Sloan-Kettering Cancer Center, New York

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Watchman CJ, Hamilton RJ, Stea B, Mignault AJ.](#) Patient positioning using implanted gold markers with the novalis body system in the thoracic spine. *Neurosurgery*. 2008 May;62(5 Suppl):A62-8; *University of Arizona, Tucson*

[Jin JY, Ryu S, Rock J, Faber K, Chen Q, Ajlouni M, Movsas B.](#) Evaluation of residual patient position variation for spinal radiosurgery using the Novalis image guided system. *Med Phys*. 2008 Mar;35(3):1087-93, *Henry Ford Hospital, Detroit*

[Agazaryan N, Tenn SE, Desalles AA, Selch MT.](#) Image-guided radiosurgery for spinal tumors: methods, accuracy and patient intrafraction motion. *Phys Med Biol*. 2008 Mar 21;53(6):1715-27. *UCLA, Los Angeles*

[Ryu S, Jin R, Jin JY, Chen Q, Rock J, Anderson J, Movsas B.](#) Pain Control by Image-Guided Radiosurgery for Solitary Spinal Metastasis. *J Pain Symptom Manage*. 2008 Mar;35(3):292-8. *Henry Ford Hospital, Detroit*

[Finn MA, Vrionis FD, Schmidt MH.](#) Spinal radiosurgery for metastatic disease of the spine. *Cancer Control*. 2007 Oct;14(4):405-11. *Univ of Utah, Salt Lake City*

[Yamada Y, Lovelock DM, Bilsky MH.](#) A Review of Image-Guided Intensity-Modulated Radiotherapy for Spinal Tumors. *Neurosurgery*. 2007 Aug;61(2):226-235, *Memorial Sloan-Kettering Cancer Center, New York*

[Chang EL, Shiu AS, Mendel E, Mathews LA, Mahajan A, Allen PK, Weinberg JS, Brown BW, Wang XS, Woo SY, Cleeland C, Maor MH, Rhines LD](#) Phase I/II study of stereotactic body radiotherapy for spinal metastasis and its pattern of failure. *J Neurosurg Spine*. 2007 Aug;7(2):151-60, *University of Texas M. D. Anderson Cancer Center, Houston*

[Wang C, Shiu A, Lii M, Woo S, Chang EL.](#) Automatic target localization and verification for on-line image-guided stereotactic body radiotherapy of the spine. *Technol Cancer Res Treat*. 2007 Jun;6(3):187-96. *M. D. Anderson Cancer Center, Houston*

[Jin JY, Chen Q, Jin R, Rock J, Anderson J, Li S, Movsas B, Ryu S.](#) Technical and clinical experience with spine radiosurgery: a new technology for management of localized spine metastases. *Technol Cancer Res Treat*. 2007 Apr;6(2):127-33. *Henry Ford Hospital, Detroit*

[Ryu S, Jin JY, Jin R, Rock J, Ajlouni M, Movsas B, Rosenblum M, Kim JH.](#) Partial volume tolerance of the spinal cord and complications of single-dose radiosurgery. *Cancer*. 2007 Feb 1;109(3):628-36. *Henry Ford Hospital, Detroit*

[Yamada Y, Lovelock M, Bilsky MH.](#) Image-guided intensity-modulated radiation therapy of spine tumors. *Curr Neurol Neurosci Rep*. 2006 May;6(3):207-11. *Memorial Sloan-Kettering Cancer Center, New York*

[Rock JP, Ryu S, Shukairy MS, Yin FF, Sharif A, Schreiber F, Abdulkhak M, Kim JH, Rosenblum ML.](#) Postoperative radiosurgery for malignant spinal tumors. *Neurosurgery*. 2006 May;58(5):891-8; discussion 891-8. *Henry Ford Hospital, Detroit*

[Yin FF, Ryu S, Ajlouni M, Yan H, Jin JY, Lee SW, Kim J, Rock J, Rosenblum M, Kim JH.](#) Image-guided procedures for intensity-modulated spinal radiosurgery. Technical note. *J Neurosurg*. 2004 Nov;101 Suppl 3:419-24. *Henry Ford Hospital, Detroit*

[Ryu S, Rock J, Rosenblum M, Kim JH.](#) Patterns of failure after single-dose radiosurgery for spinal metastasis. *J Neurosurg*. 2004 Nov;101 Suppl 3:402-5. *Henry Ford Hospital, Detroit*

[Benzil DL, Saboori M, Mogilner AY, Rocchio R, Moorthy CR.](#) Safety and efficacy of stereotactic radiosurgery for tumors of the spine. *J Neurosurg*. 2004 Nov;101 Suppl 3:413-418. *New York Med College, Valhalla, NY*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Yin FF, Ryu S, Ajlouni M, Yan H, Jin JY, Lee SW, Kim J, Rock J, Rosenblum M, Kim JH](#). Image-guided procedures for intensity-modulated spinal radiosurgery. Technical note. *J Neurosurg*. 2004 Nov;101 Suppl 3:419-24. *Henry Ford Hospital, Detroit*

[De Salles AA, Pedrosa AG, Medin P, Agazaryan N, Solberg T, Cabatan-Awang C, Espinosa DM, Ford J, Selch MT](#). Spinal lesions treated with Novalis shaped beam intensity-modulated radiosurgery and stereotactic radiotherapy. *J Neurosurg*. 2004 Nov;101 Suppl 3:435-40 *UCLA, Los Angeles*

[Rock JP, Ryu S, Yin FF](#). Novalis radiosurgery for metastatic spine tumors. *Neurosurg Clin N Am*. 2004 Oct;15(4):503-9. *Henry Ford Hospital, Detroit*, [Order Document](#)

[Rock JP, Ryu S, Yin FF, Schreiber F, Abdulhak M](#). The evolving role of stereotactic radiosurgery and stereotactic radiation therapy for patients with spine tumors. *J Neurooncol*. 2004 Aug-Sep;69(1-3):319-34. *Henry Ford Hospital, Detroit*

[Bilsky MH, Yamada Y, Yenice KM, Lovelock M, Hunt M, Gutin PH, Leibel SA](#). Intensity-modulated stereotactic radiotherapy of paraspinal tumors: a preliminary report. *Neurosurgery*. 2004 Apr;54(4):823-30; discussion 830-1. *Memorial Sloan-Kettering, New York*.

[Shiu AS, Chang EL, Ye JS, Lii M, Rhines LD, Mendel E, Weinberg J, Singh S, Maor MH, Mohan R, Cox JD](#). Near simultaneous computed tomography image-guided stereotactic spinal radiotherapy: an emerging paradigm for achieving true stereotaxy. *Int J Radiat Oncol Biol Phys*. 2003 Nov 1;57(3):605-13. *MD Anderson Cancer Center, Houston*, [Full Text + Links](#), [PDF](#)

[Ryu S, Fang Yin F, Rock J, Zhu J, Chu A, Kagan E, Rogers L, Ajlouni M, Rosenblum M, Kim JH](#). Image-guided and intensity-modulated radiosurgery for patients with spinal metastasis. *Cancer*. 2003 Apr 15;97(8):2013-8. *Henry Ford Hospital, Detroit*

[Yin FF, Ryu S, Ajlouni M, Zhu J, Yan H, Guan H, Faber K, Rock J, Abdalhak M, Rogers L, Rosenblum M, Kim JH](#). A technique of intensity-modulated radiosurgery (IMRS) for spinal tumors. *Med Phys*. 2002 Dec;29(12):2815-22. *Henry Ford Hospital, Detroit*

[Rock J, Kole M, Yin FF, Ryu S, Gutierrez J, Rosenblum M](#). Radiosurgical treatment for Ewing's sarcoma of the lumbar spine: case report. *Spine*. 2002 Nov 1;27(21):E471-5. *Henry Ford Hospital, Detroit*

[Medin PM, Solberg TD, De Salles AA, Cagnon CH, Selch MT, Johnson JP, Smathers JB, Cosman ER](#). Investigations of a minimally invasive method for treatment of spinal malignancies with LINAC stereotactic radiation therapy: accuracy and animal studies. *Int J Radiat Oncol Biol Phys*. 2002 Mar 15;52(4):1111-22. *UCLA, Los Angeles*, [Full Text + Links](#), [PDF](#)

[Ryken TC, Meeks SL, Traynelis V, Haller J, Bouchet LG, Bova FJ, Pennington EC, Buatti JM](#). Ultrasonographic guidance for spinal extracranial radiosurgery: technique and application for metastatic spinal lesions. *Neurosurg Focus*. 2001 Dec 15;11(6):e8. *University of Florida, Gainesville* [PDF](#)

[Bilsky MH, Yenice K, Lovelock M, Yamada J](#). Stereotactic intensity-modulation radiation therapy for vertebral body and paraspinal tumors. *Neurosurg Focus*. 2001 Dec 15;11(6):e7. *Memorial Sloan-Kettering Cancer Center, New York*, [PDF](#)

H&N-EENT & Skull Base

Non-CNS Tumors of the Orbit and Head & Neck

Heron DE, Ferris RL, Karamouzis M, Andrade RS, Deeb EL, Burton S, Gooding WE, Branstetter BF, Mountz JM, Johnson JT, Argiris A, Grandis JR, Lai SY. [Stereotactic Body Radiotherapy for Recurrent Squamous Cell Carcinoma of the Head and Neck: Results of a Phase I Dose-Escalation Trial](#). *Int J Radiat Oncol Biol Phys*. 2009 May 21. *University of Pittsburgh, Pittsburgh, PA* [Epub ahead of print]

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

Verbakel WF, Cuijpers JP, Hoffmans D, Bieker M, Slotman BJ, Senan S. [Volumetric intensity-modulated arc therapy vs. conventional IMRT in head-and-neck cancer: a comparative planning and dosimetric study.](#) *Int J Radiat Oncol Biol Phys.* 2009 May 1;74(1):252-9. *VU University Medical Center, Amsterdam, The Netherlands.*

Siddiqui F, Patel M, Khan M, McLean S, Dragovic J, Jin JY, Movsas B, Ryu S. [Stereotactic Body Radiation Therapy for Primary, Recurrent, and Metastatic Tumors in the Head-and-Neck Region.](#) *Int J Radiat Oncol Biol Phys.* 2009 Jul 15;74(4):1047-53 *Henry Ford Health System, Detroit, MI*

Gagne IM, Ansbacher W, Zavgorodni S, Popescu C, Beckham WA. [A Monte Carlo evaluation of RapidArc dose calculations for oropharynx radiotherapy.](#) *Phys Med Biol.* 2008 Dec 21;53(24):7167-85. *BC Cancer Agency-Vancouver Island Centre, Victoria, British Columbia, Canada.*

[Kim GY, Pawlicki T, Le QT, Luxton G.](#) Linac-based on-board imaging feasibility and the dosimetric consequences of head roll in head-and-neck IMRT plans. *Med Dosim.* 2008 Spring;33(1):93-9. *Stanford University Medical Center, Palo Alto*

[Wu SX, Chua DT, Deng ML, Zhao C, Li FY, Sham JS, Wang HY, Bao Y, Gao YH, Zeng ZF.](#) Outcome of fractionated stereotactic radiotherapy for 90 patients with locally persistent and recurrent nasopharyngeal carcinoma. *Int J Radiat Oncol Biol Phys.* 2007 Nov 1;69(3):761-9. *Duke University Medical Center, Durham*

[Miralbell R, Caro M, Weber DC, Elizalde J, Perez-Ochoa A, Villà S, IgnacioToscas J, Martinez P, Linero D, Nouet P, Escudé L.](#) Stereotactic Radiotherapy for Ocular Melanoma: Initial Experience Using Closed Eyes For Ocular Target Immobilization, *Technol Cancer Res Treat.* Oct 2007;6(5):361-588), *Instituto Oncológico Teknon, Barcelona, SP*

[Lawson JD, Elder E, Fox T, Davis L, Crocker I.](#) Quantification of dosimetric impact of implementation of on-board imaging (OBI) for IMRT treatment of head-and-neck malignancies. *Med Dosim.* 2007 Winter; 32(4):287-94. *Emory University, Atlanta*

[Henderson MA, Shirazi H, Lo SS, Mendonca MS, Fakiris AJ, Witt TC, Worth RM, Timmerman RD.](#) Stereotactic radiosurgery and fractionated stereotactic radiotherapy in the treatment of uveal melanoma. *Technol Cancer Res Treat.* 2006 Aug;5(4):411-9. *University of Texas Southwestern Medical Center, Dallas*

[Poznanovic SA, Cass SP, Kavanagh BD.](#) Short-term tumor control and acute toxicity after stereotactic radiosurgery for glomus jugulare tumors. *Otolaryngol Head Neck Surg.* 2006 Mar;134(3):437-42. *University of Colorado Health Sciences Center, Aurora, [Full Text + Links](#) | [PDF](#)*

[Linthout N, Verellen D, Tournel K, Storme G.](#) Six dimensional analysis with daily stereoscopic x-ray imaging of intrafraction patient motion in head and neck treatments using five points fixation masks. *Med Phys.* 2006 Feb;33(2):504-13. *Academic Hospital-Free University, Brussels*

[Ernst-Stecken A, Lambrecht U, Ganslandt O, Mueller R, Fahlbusch R, Sauer R, Grabenbauer G.](#) Radiosurgery of small skull-base lesions. No advantage for intensity-modulated stereotactic radiosurgery versus conformal arc technique. *Strahlenther Onkol.* 2005 May;181(5):336-44. *University of Erlangen-Nuremberg, Erlangen, DE.*

[Saarilahti K, Kouri M, Collan J, Hamalainen T, Atula T, Joensuu H, Tenhunen M.](#) Intensity modulated radiotherapy for head and neck cancer: evidence for preserved salivary gland function. *Radiother Oncol.* 2005 Mar;74(3):251-8. *Helsinki University Central Hospital*

[Ryu S, Khan M, Yin FF, Concus A, Ajlouni M, Benninger MS, Kim JH.](#) Image-guided radiosurgery of head and neck cancers. *Otolaryngol Head Neck Surg.* 2004 Jun;130(6):690-7. *Henry Ford Hospital*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Nakamura JL, Pirzkall A, Carol MP, Xia P, Smith V, Wara WM, Petti PL, Verhey LJ, Sneed PK.](#) Comparison of intensity-modulated radiosurgery with gamma knife radiosurgery for challenging skull base lesions. *Int J Radiat Oncol Biol Phys.* 2003 Jan 1;55(1):99-109. *UCSF, San Francisco*

[Linthout N, Verellen D, Van Acker S, Voordeckers M, Bretz A, Storme G.](#) Evaluation of dose calculation algorithms for dynamic arc treatments of head and neck tumors. *Radiother Oncol.* 2002 Jul;64(1):85-95. *Academic Hospital, Free University Brussels, BE*

[Fiveash JB, Murshed H, Duan J, Hyatt M, Caranto J, Bonner JA, Popple RA.](#) Effect of multileaf collimator leaf width on physical dose distributions in the treatment of CNS and head and neck neoplasms with intensity modulated radiation therapy. *Med Phys.* 2002 Jun;29(6):1116-9. *University of Alabama-Birmingham*

[Feigenberg SJ, Mendenhall WM, Hinerman RW, Amdur RJ, Friedman WA, Antonelli PJ.](#) Radiosurgery for paraganglioma of the temporal bone. *Head Neck.* 2002 Apr;24(4):384-9. *University of Florida, Gainesville*

LUNG

Primary and Metastatic Lung Lesions

Videtic GM, Stephans K, Reddy C, Gajdos S, Kolar M, Clouser E, Djemil T. [Intensity-Modulated Radiotherapy-Based Stereotactic Body Radiotherapy for Medically Inoperable Early-Stage Lung Cancer: Excellent Local Control.](#) *Int J Radiat Oncol Biol Phys.* 2009 Sep 16. *Cleveland Clinic Foundation, Cleveland, OH* [Epub ahead of print]

Jin JY, Kong FM, Chetty IJ, Ajlouni M, Ryu S, Ten Haken R, Movsas B. [Impact of Fraction Size on Lung Radiation Toxicity: Hypofractionation May Be Beneficial in Dose Escalation of Radiotherapy for Lung Cancers.](#) *Int J Radiat Oncol Biol Phys.* 2009 Jul 3. *Henry Ford Hospital, Detroit, MI* [Epub ahead of print]

Kopek N, Paludan M, Petersen J, Hansen AT, Grau C, Høyer M. [Co-morbidity index predicts for mortality after stereotactic body radiotherapy for medically inoperable early-stage non-small cell lung cancer.](#) *Radiother Oncol.* 2009 Jun 24. *Aarhus University Hospital, Denmark.* [Epub ahead of print]

Dunlap NE, Cai J, Biedermann GB, Yang W, Benedict SH, Sheng K, Schefter TE, Kavanagh BD, Lerner JM. [Chest Wall Volume Receiving >30 Gy Predicts Risk of Severe Pain and/or Rib Fracture After Lung Stereotactic Body Radiotherapy.](#) *Int J Radiat Oncol Biol Phys.* 2009 May 8. *University of Colorado Comprehensive Cancer Center, Denver and University of Virginia, Charlottesville* [Epub ahead of print]

Verbakel WF, Senan S, Cuijpers JP, Slotman BJ, Lagerwaard FJ. [Rapid delivery of stereotactic radiotherapy for peripheral lung tumors using volumetric intensity-modulated arcs.](#) *Radiother Oncol.* 2009 Oct;93(1):122-4. *VU University Medical Center, Amsterdam*

Stephans KL, Djemil T, Reddy CA, Gajdos SM, Kolar M, Mason D, Murthy S, Rice TW, Mazzone P, Machuzak M, Mekhail T, Videtic GM. [A comparison of two stereotactic body radiation fractionation schedules for medically inoperable stage I non-small cell lung cancer: the Cleveland Clinic experience.](#) *J Thorac Oncol.* 2009 Aug;4(8):976-82. *Cleveland Clinic, Cleveland*

Bradley J. [So far, so good for lung cancer SBRT.](#) *J Thorac Oncol.* 2009 Jul;4(7):781-2. *Washington University, Barnes-Jewish Hospital, St. Louis, MO*

Stephans KL, Djemil T, Reddy CA, Gajdos SM, Kolar M, Machuzak M, Mazzone P, Videtic GM. [Comprehensive Analysis of Pulmonary Function Test \(PFT\) Changes After Stereotactic Body Radiotherapy \(SBRT\) for Stage I Lung Cancer in Medically Inoperable Patients.](#) *J Thorac Oncol.* 2009 Jul;4(7):838-44. *Cleveland Clinic Foundations, Cleveland, OH*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

Zhao B, Yang Y, Li T, Li X, Heron DE, Huq MS. [Image-guided respiratory-gated lung stereotactic body radiotherapy: which target definition is optimal?](#) *Med Phys.* 2009 Jun;36(6):2248-57. *University of Pittsburgh Medical Center, Pittsburgh*

Milano MT, Chen Y, Katz AW, Philip A, Schell MC, Okunieff P. [Central thoracic lesions treated with hypofractionated stereotactic body radiotherapy.](#) *Radiother Oncol.* 2009 Jun;91(3):301-6. *University of Rochester Medical Center, NY*

Rusthoven KE, Hammerman SF, Kavanagh BD, BirtwhistleMJ, Stares M, Camidge DR. [Is there a role for consolidative stereotactic body radiation therapy following first-line systemic therapy for metastatic lung cancer? A patterns-of-failure analysis.](#) *Acta Oncol.* 2009;48(4):578-83. *University of Colorado Comprehensive Cancer Center, Denver*

Rønde HS, Hoffmann L. [Validation of Varian's AAA algorithm with focus on lung treatments.](#) *Acta Oncol.* 2009;48(2):209-15. *Aarhus University Hospital, Aarhus, Denmark*

Rusthoven KE, Kavanagh BD, Burri SH, Chen C, Cardenes H, Chidel MA, Pugh TJ, Kane M, Gaspar LE, Scheffer TE. [Multi-institutional phase I/II trial of stereotactic body radiation therapy for lung metastases.](#) *J Clin Oncol.* 2009 Apr 1;27(10):1579-84. *University of Colorado Comprehensive Cancer Center, Denver*

Rosenzweig KE, Movsas B, Bradley J, Gewanter RM, Gopal RS, Komaki RU, Kong FM, Lee HK, Feins RH, Langer CJ. [ACR appropriateness criteria on nonsurgical treatment for non-small-cell lung cancer: poor performance status or palliative intent.](#) *J Am Coll Radiol.* 2009 Feb;6(2):85-95. *Memorial Sloan-Kettering Cancer Center.*

Haasbeek CJ, Lagerwaard FJ, de Jaeger K, Slotman BJ, Senan S. [Outcomes of stereotactic radiotherapy for a new clinical stage I lung cancer arising postpneumonectomy.](#) *Cancer.* 2009 Feb 1;115(3):587-94. *Vrije University Medical Center, Amsterdam, The Netherlands.*

Riegel AC, Chang JY, Vedam SS, Johnson V, Chi PC, Pan T. [Cine computed tomography without respiratory surrogate in planning stereotactic radiotherapy for non-small-cell lung cancer.](#) *Int J Radiat Oncol Biol Phys.* 2009 Feb 1;73(2):433-41. *M.D. Anderson Cancer Center, Houston, TX*

Vassiliev ON, Kry SF, Chang JY, Balter PA, Titt U, Mohan R. [Stereotactic radiotherapy for lung cancer using a flattening filter free Clinac.](#) *J Appl Clin Med Phys.* 2009 Jan 27;10(1):2880. Rusthoven KE, Hammerman SF, Kavanagh BD, Birtwhistle, *M. D. Anderson Cancer Center, Houston, Texas*

McCammon R, Scheffer TE, Gaspar LE, Zaemisch R, Gravdahl D, Kavanagh B. [Observation of a dose-control relationship for lung and liver tumors after stereotactic body radiation therapy.](#) *Int J Radiat Oncol Biol Phys.* 2009 Jan 1;73(1):112-8. *University of Colorado Health Sciences Center, Aurora, CO*

Nguyen NP, Garland L, Welsh J, Hamilton R, Cohen D, Vinh-Hung V. [Can stereotactic fractionated radiation therapy become the standard of care for early stage non-small cell lung carcinoma.](#) *Cancer Treat Rev.* 2008 Dec;34(8):719-27. *University of Arizona, Tucson*

[Chang JY, Balter PA, Dong L, Yang Q, Liao Z, Jeter M, Bucci MK, McAleer MF, Mehran RJ, Roth JA, Komaki R.](#) Stereotactic body radiation therapy in centrally and superiorly located stage I or isolated recurrent non-small-cell lung cancer. *Int J Radiat Oncol Biol Phys.* 2008 Nov 15;72(4):967-71. *MD Anderson Cancer Center, Houston*

Spoelstra FO, van Sörnsen de Koste JR, Cuijpers JP, Lagerwaard FJ, Slotman BJ, Senan S. [Analysis of reproducibility of respiration-triggered gated radiotherapy for lung tumors.](#) *Radiother Oncol.* 2008 Apr; 87(1):59-64. *VU University Medical Center, Amsterdam, NL*

– RADIOSURGERY: THE CLINICAL POWER OF TWO –

[Haasbeek CJ, Senan S, Smit EF, Paul MA, Slotman BJ, Lagerwaard FJ](#). Critical review of nonsurgical treatment options for stage I non-small cell lung cancer. *Oncologist*. 2008 Mar;13(3):309-19. *VU University Medical Center, Amsterdam, NL*

[Lagerwaard FJ, Haasbeek CJ, Smit EF, Slotman BJ, Senan S](#). Outcomes of risk-adapted fractionated stereotactic radiotherapy for stage I non-small-cell lung cancer. *Int J Radiat Oncol Biol Phys*. 2008 Mar 1;70(3):685-92. *VU University Medical Center, Amsterdam, NL*

[Chang JY, Dong L, Liu H, Starkschall G, Balter P, Mohan R, Liao Z, Cox JD, Komaki R](#). Image-guided radiation therapy for non-small cell lung cancer. *J Thorac Oncol*. 2008 Feb;3(2):177-86. Review. *MD Anderson Cancer Center, Houston, Texas*

[Wakelee H, Langer C, Vokes E, Schiller J, Baas P, Saijo N, Adjei A, Shepherd F, Choy H, Gandara DR](#). Cooperative group research efforts in lung cancer: focus on early-stage non-small-cell lung cancer. *Clin Lung Cancer*. 2008 Jan;9(1):9-15. *Stanford University Medical Center, Palo Alto*

[Maxim PG, Loo BW Jr, Shirazi H, Thorndyke B, Luxton G, Le QT](#). Quantification of motion of different thoracic locations using four-dimensional computed tomography: implications for radiotherapy planning. *Int J Radiat Oncol Biol Phys*. 2007 Dec 1;69(5):1395-401. *Stanford University Medical Center, Palo Alto*

[Wang Z, Wu QJ, Marks LB, Larrier N, Yin FF](#). Cone-beam CT localization of internal target volumes for stereotactic body radiotherapy of lung lesions. *Int J Radiat Oncol Biol Phys*. 2007 Dec 1;69(5):1618-24. *Duke University Medical Center, Raleigh-Durham*

[Xu Q, Hamilton RJ, Schowengerdt RA, Jiang SB](#). A deformable lung tumor tracking method in fluoroscopic video using active shape models: a feasibility study. *Phys Med Biol*. 2007 Sep 7;52(17):5277-93. *University of Arizona, Tucson*

[Timmerman RD, Park C, Kavanagh BD](#). The North American experience with stereotactic body radiation therapy in non-small cell lung cancer. *J Thorac Oncol*. 2007 Jul;2(7 Suppl 3):S101-12. *University of Texas Southwestern Medical Center, Dallas*

[Panetti V, Wennberg B, Gagliardi G, Duch MA, Ginjaume M, Lax I](#). SBRT of lung tumours: Monte Carlo simulation with PENELOPE of dose distributions including respiratory motion and comparison with different treatment planning systems. *Phys Med Biol*. 2007 Jul 21;52(14):4265-81. *Universitat Politècnica de Catalunya, Barcelona, SP*

[Hoopes DJ, Tann M, Fletcher JW, Forquer JA, Lin PF, Lo SS, Timmerman RD, McGarry RC](#). FDG-PET and stereotactic body radiotherapy (SBRT) for stage I non-small-cell lung cancer. *Lung Cancer*. 2007 May;56(2):229-34. *Indiana University, Indianapolis*

[Haasbeek CJ, Lagerwaard FJ, Cuijpers JP, Slotman BJ, Senan S](#). Is adaptive treatment planning required for stereotactic radiotherapy of stage I non-small-cell lung cancer? *Int J Radiat Oncol Biol Phys*. 2007 Apr 1;67(5):1370-4. *VU University Medical Center, Amsterdam, NL*

[Duggan DM, Ding GX, Coffey CW 2nd, Kirby W, Hallahan DE, Malcolm A, Lu B](#). Deep-inspiration breath-hold kilovoltage cone-beam CT for setup of stereotactic body radiation therapy for lung tumors: initial experience. *Lung Cancer*. 2007 Apr;56(1):77-88. *Vanderbilt University, Nashville, TN*

[Ernst-Stecken A, Lambrecht U, Mueller R, Sauer R, Grabenbauer G](#). Hypofractionated stereotactic radiotherapy for primary and secondary intrapulmonary tumors: first results of a phase I/II study. *Strahlenther Onkol*. 2006 Dec;182(12):696-702. *University of Erlangen-Nuremberg, Erlangen, Germany*

[Wang L, Feigenberg S, Chen L, Pasklev K, Ma CC](#). Benefit of three-dimensional image-guided stereotactic localization in the hypofractionated treatment of lung cancer. *Int J Radiat Oncol Biol Phys*. 2006 Nov 1;66(3):738-47. *Fox Chase Cancer Center, Philadelphia*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Willoughby TR, Forbes AR, Buchholz D, Langen KM, Wagner TH, Zeidan OA, Kupelian PA, Meeks SL](#). Evaluation of an infrared camera and X-ray system using implanted fiducials in patients with lung tumors for gated radiation therapy. *Int J Radiat Oncol Biol Phys*. 2006 Oct 1;66(2):568-75. *MD Anderson Cancer Center Orlando, Orlando*

[Timmerman R, McGarry R, Yiannoutsos C, Papiez L, Tudor K, DeLuca J, Ewing](#). Excessive toxicity when treating central tumors in a phase II study of stereotactic body radiation therapy for medically inoperable early-stage lung cancer. *J Clin Oncol*. 2006 Oct 20;24. *The University of Texas Southwestern Medical Center, Dallas, TX*

[Timmerman R, Galvin J, Michalski J, Straube W, Ibbott G, Martin E, Abdulrahman R, Swann S, Fowler J, Choy H](#). Accreditation and quality assurance for Radiation Therapy Oncology Group: Multicenter clinical trials using Stereotactic Body Radiation Therapy in lung cancer. *Acta Oncol*. 2006;45(7):779-86. *University of Texas Southwestern Medical Center, Dallas*

[Baumann P, Nyman J, Lax I, Friesland S, Hoyer M, Rehn Ericsson S, Johansson KA, Ekberg L, Morhed E, Paludan M, Wittgren L, Blomgren H, Lewensohn R](#). Factors important for efficacy of stereotactic body radiotherapy of medically inoperable stage I lung cancer. A retrospective analysis of patients treated in the Nordic countries. *Acta Oncol*. 2006;45(7):787-95. *Karolinska University Hospital, Sweden*

[Paludan M, Traberg Hansen A, Petersen J, Grau C, Hoyer M](#). Aggravation of dyspnea in stage I non-small cell lung cancer patients following stereotactic body radiotherapy: Is there a dose-volume dependency? *Acta Oncol*. 2006;45(7):818-22. *Aarhus University Hospital, Aarhus, Denmark*

[Slotman BJ, Lagerwaard FJ, Senan S](#). 4D imaging for target definition in stereotactic radiotherapy for lung cancer. *Acta Oncol*. 2006;45(7):966-72. *VU University Medical Center, Amsterdam*

[Djarv E, Nyman J, Baumann P, Ekberg L, Hoyer M, Lax I, Lewensohn R, Levin N, Lund JA, Morhed E, Ericsson SR, Traberg A, Wittgren L, Johansson KA](#). Dummy run for a phase II study of stereotactic body radiotherapy of T1-T2 N0M0 medical inoperable non-small cell lung cancer. *Acta Oncol*. 2006;45(7):973-7. *Sahlgrenska University Hospital, Gothenburg, Sweden*

[Underberg RW, Lagerwaard FJ, van Tinteren H, Cuijpers JP, Slotman BJ, Senan S](#). Time trends in target volumes for stage I non-small-cell lung cancer after stereotactic radiotherapy. *Int J Radiat Oncol Biol Phys*. 2006 Mar 15;64(4):1221-8. *VU University Medical Center, Amsterdam*, [Full Text + Links](#) | [PDF](#)

[Jin JY, Ajlouni M, Chen Q, Yin FF, Movsas B](#). A technique of using gated-CT images to determine internal target volume (ITV) for fractionated stereotactic lung radiotherapy. *Radiother Oncol*. 2006 Feb;78(2):177-84. *Henry Ford Hospital, Detroit*

[Song DY, Benedict SH, Cardinale RM, Chung TD, Chang MG, Schmidt-Ullrich RK](#). Stereotactic body radiation therapy of lung tumors: preliminary experience using normal tissue complication probability-based dose limits. *Am J Clin Oncol*. 2005 Dec;28(6):591-6. *Virginia Commonwealth University Medical Center, Richmond*

[McGarry RC, Papiez L, Williams M, Whitford T, Timmerman RD](#). Stereotactic body radiation therapy of early-stage non-small-cell lung carcinoma: phase I study. *Int J Radiat Oncol Biol Phys*. 2005 Nov 15;63(4):1010-5. *Indiana University, Indianapolis*, [Full Text + Links](#) | [PDF](#)

[Underberg RW, Lagerwaard FJ, Slotman BJ, Cuijpers JP, Senan S](#). Use of maximum intensity projections (MIP) for target volume generation in 4DCT scans for lung cancer. *Int J Radiat Oncol Biol Phys*. 2005 Sep 1;63(1):253-60. *VU University Medical Center, Amsterdam, NL* [Full Text + Links](#) | [PDF](#)

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Underberg RW, Lagerwaard FJ, Slotman BJ, Cuijpers JP, Senan S.](#) Benefit of respiration-gated stereotactic radiotherapy for stage I lung cancer: an analysis of 4DCT datasets. *Int J Radiat Oncol Biol Phys.* 2005 Jun 1;62(2):554-60. *VU University Medical Center, Amsterdam, NL*, [Full Text + Links](#) | [PDF](#)

[de Mey J, Van de Steene J, Vandenbroucke F, Verellen D, Trappeniers L, Meysman M, Everaert H, Noppen M, Storme G, Bossuyt A.](#) Percutaneous placement of marking coils before stereotactic radiation therapy of malignant lung lesions. *J Vasc Interv Radiol.* 2005 Jan;16(1):51-6. *University Hospital Vrije Universiteit Brussel, Bressels, BE*

[Underberg RW, Lagerwaard FJ, Cuijpers JP, Slotman BJ, van Sornsen de Koste JR, Senan S.](#) Four-dimensional CT scans for treatment planning in stereotactic radiotherapy for stage I lung cancer. *Int J Radiat Oncol Biol Phys.* 2004 Nov 15;60(4):1283-90. *VU University Medical Center, Amsterdam, NL*, [Full Text + Links](#) | [PDF](#)

[Timmerman R, Papiez L, McGarry R, Likes L, DesRosiers C, Frost S, Williams M.](#) Extracranial stereotactic radioablation: results of a phase I study in medically inoperable stage I non-small cell lung cancer. *Chest.* 2003 Nov;124(5):1946-55. *Indiana University, Indianapolis, IN*, [FullText+Links](#) | [PDF](#)

[van Sornsen de Koste JR, Lagerwaard FJ, Nijssen-Visser MR, Graveland WJ, Senan S.](#) Tumor location cannot predict the mobility of lung tumors: a 3D analysis of data generated from multiple CT scans. *Int J Radiat Oncol Biol Phys.* 2003 Jun 1;56(2):348-54. *VU University Medical Center, Amsterdam, NL*, [Full Text + Links](#) | [PDF](#)

[de Koste JR, Lagerwaard FJ, de Boer HC, Nijssen-Visser MR, Senan S.](#) Are multiple CT scans required for planning curative radiotherapy in lung tumors of the lower lobe? *Int J Radiat Oncol Biol Phys.* 2003 Apr 1;55(5):1394-9. *VU University Medical Center, Amsterdam, NL*, [Full Text + Links](#) | [PDF](#)

LIVER, PANCREAS & ADRENALS

Primary and Metastatic Liver Tumors

[Chawla S, Chen Y, Katz AW, Muhs AG, Philip A, Okunieff P, Milano MT.](#) [Stereotactic body radiotherapy for treatment of adrenal metastases.](#) *Int J Radiat Oncol Biol Phys.* 2009 Sep 1;75(1):71-5. *University of Rochester, Rochester, NY*

[Rusthoven KE, Kavanagh BD, Cardenes H, Stieber VW, Burri SH, Feigenberg SJ, Chidel MA, Pugh TJ, Franklin W, Kane M, Gaspar LE, Scheffer TE.](#) [Multi-institutional phase I/II trial of stereotactic body radiation therapy for liver metastases.](#) *J Clin Oncol.* 2009 Apr 1;27(10):1572-8. *University of Colorado, Denver*

[Olsen CC, Welsh J, Kavanagh BD, Franklin W, McCarter M, Cardenes HR, Gaspar LE, Scheffer TE.](#) [Microscopic and Macroscopic Tumor and Parenchymal Effects of Liver Stereotactic Body Radiotherapy.](#) *J Radiat Oncol Biol Phys.* 2009 Apr 1;73(5):1414-24. *University of Colorado, Denver*

[Wu QJ, Thongphiew D, Wang Z, Chankong V, Yin FF.](#) The impact of respiratory motion and treatment technique on stereotactic body radiation therapy for liver cancer. *Med Phys.* 2008 Apr;35(4):1440-51. *Duke University Medical Center Durham, NC*

[Katz AW, Carey-Sampson M, Muhs AG, Milano MT, Schell MC, Okunieff P.](#) Hypofractionated stereotactic body radiation therapy (SBRT) for limited hepatic metastases. *Int J Radiat Oncol Biol Phys.* 2007 Mar 1;67(3):793-8. *University of Rochester Medical Center, Rochester, NY*

[Beddar AS, Kainz K, Briere TM, Tsunashima Y, Pan T, Prado K, Mohan R, Gillin M, Krishnan S.](#) [Correlation between internal fiducial tumor motion and external marker motion for liver tumors imaged with 4D-CT.](#) *Int J Radiat Oncol Biol Phys.* 2007 Feb 1;67(2):630-8. *M D Anderson Cancer Center, Houston, TX*

– RADIOSURGERY: THE CLINICAL POWER OF TWO –

[Kavanagh BD, Scheffter TE, Cardenes HR, Stieber VW, Raben D, Timmerman RD, McCarter MD, Burri S, Nedzi LA, Sawyer TE, Gaspar LE.](#) Interim analysis of a prospective phase I/II trial of SBRT for liver metastases. *Acta Oncol.* 2006;45(7):848-55. *University of Colorado Health Sciences Center, Aurora*

[Wurm RE, Gum F, Erbel S, Schlenger L, Scheffler D, Agaoglu D, Schild R, Gebauer B, Rogalla P, Plotkin M, Ocran K, Budach V.](#) Image guided respiratory gated hypofractionated Stereotactic Body Radiation Therapy (H-SBRT) for liver and lung tumors: Initial experience. *Acta Oncol.* 2006;45(7):881-9. *Charité-Universitätsmedizin, Berlin*

[Scheffter TE, Kavanagh BD, Timmerman RD, Cardenes HR, Baron A, Gaspar LE.](#) A phase I trial of stereotactic body radiation therapy (SBRT) for liver metastases. *Int J Radiat Oncol Biol Phys.* 2005 Aug 1;62(5):1371-8. *University of Colorado Health Sciences Center, Aurora* [Full Text + Links](#) | [PDF](#)

[Gunven P, Blomgren H, Lax I.](#) Radiosurgery for recurring liver metastases after hepatectomy. *Hepatogastroenterology.* 2003 Sep-Oct;50(53):1201-4. *Karolinska, SW*

PROSTATE

Prostate Adenocarcinoma

Weber DC, Wang H, Cozzi L, Dipasquale G, Khan HG, Ratib O, Rouzaud M, Veas H, Zaidi H, Miralbell R. [RapidArc, intensity modulated photon and proton techniques for recurrent prostate cancer in previously irradiated patients: a treatment planning comparison study.](#) *Radiat Oncol.* 2009 Sep 9;4(1):34. *Hôpitaux Universitaires de Genève, Genève, Switzerland* [Epub ahead of print]

Zhang P, Happersett L, Hunt M, Jackson A, Zelefsky M, Mageras G. [Volumetric Modulated Arc Therapy: Planning and Evaluation for Prostate Cancer Cases.](#) *Int J Radiat Oncol Biol Phys.* 2009 Jun 17. *Memorial Sloan-Kettering Cancer Center, New York, NY* [Epub ahead of print]

Shaffer R, Morris WJ, Moiseenko V, Welsh M, Crumley C, Nakano S, Schmuland M, Pickles T, Otto K. [Volumetric modulated Arc therapy and conventional intensity-modulated radiotherapy for simultaneous maximal intraprostatic boost: a planning comparison study.](#) *Clin Oncol (R Coll Radiol).* 2009 Jun;21(5):401-7. *British Columbia Cancer Agency, Vancouver, British Columbia, Canada.*

Kjaer-Kristoffersen F, Ohlhues L, Medin J, Korreman S. [RapidArc volumetric modulated therapy planning for prostate cancer patients.](#) *Acta Oncol.* 2009;48(2):227-32. *Rigshospitalet, Copenhagen, DK*

Palma D, Vollans E, James K, Nakano S, Moiseenko V, Shaffer R, McKenzie M, Morris J, Otto K. [Volumetric modulated arc therapy for delivery of prostate radiotherapy: comparison with intensity-modulated radiotherapy and three-dimensional conformal radiotherapy.](#) *Int J Radiat Oncol Biol Phys.* 2008 Nov 15;72(4):996-1001. *British Columbia Cancer Agency, Vancouver, British Columbia, Canada.*

[Kupelian PA, Langen KM, Willoughby TR, Zeidan OA, Meeks SL.](#) Image-guided radiotherapy for localized prostate cancer: treating a moving target. *Semin Radiat Oncol.* 2008 Jan;18(1):58-66. Review. *M.D. Anderson Cancer Center Orlando, Orlando, FL*

[Alonso-Arrizabalaga S, Brualla González L, Roselló Ferrando JV, Pastor Peidro J, López Torrecilla J, Planes Meseguer D, García Hernández T.](#) Prostate Planning Treatment Volume Margin Calculation Based on the ExacTrac X-Ray 6D Image-Guided System: Margins for Various Clinical Implementations, *Int J Radiat Oncol Biol Phys.* 2007 Nov 1, 69(3):936-943. *Hospital General Universitario, Valencia, SP*

[Hsu A, Pawlicki T, Luxton G, Hara W, King CR.](#) A study of image-guided intensity-modulated radiotherapy with fiducials for localized prostate cancer including pelvic lymph nodes. *Int J Radiat Oncol Biol Phys.* 2007 Jul 1;68(3):898-902. *Stanford University Medical Center, Palo Alto*

– RADIOSURGERY: THE CLINICAL POWER OF TWO –

[Pawlicki T, Kim GY, Hsu A, Cotrutz C, Boyer AL, Xing L, King CR, Luxton G.](#) Investigation of linac-based image-guided hypofractionated prostate radiotherapy. *Med Dosim.* 2007 Summer;32(2):71-9. *Stanford University Medical Center, Palo Alto, [Full Text + Links](#) | [PDF](#)*

[Pawlicki T, Cotrutz C, King C.](#) Prostate cancer therapy with stereotactic body radiation therapy. *Front Radiat Ther Oncol.* 2007;40:395-406. *Stanford University Medical Center, Palo Alto, CA*

[Linthout N, Verellen D, Tournel K, Reynders T, Duchateau M, Storme G.](#) Assessment of secondary patient motion induced by automated couch movement during on-line 6 dimensional repositioning in prostate cancer treatment. *Radiother Oncol.* 2007 May;83(2):168-74. *Universitair Ziekenhuis Brussel, BE*

[Madsen BL, Hsi RA, Pham HT, Fowler JF, Esagui L, Corman J](#) *Int J Radiat Oncol Biol Phys.* 2007 Mar 15;67(4):1099-105. Stereotactic hypofractionated accurate radiotherapy of the prostate (SHARP), 33.5 Gy in five fractions for localized disease: first clinical trial results. *Int J Radiat Oncol Biol Phys.* 2007 Mar 15;67(4):1099-105, *Virginia Mason Medical Center, Seattle*

[Kupelian P, Willoughby T, Mahadevan A, Djemil T, Weinstein G, Jani S, Enke C, Solberg T, Flores N, Liu D, Beyer D, Levine L.](#) Multi-institutional clinical experience with the calypso system in localization and continuous, real-time monitoring of the prostate gland during external radiotherapy. *Int J Radiat Oncol Biol Phys.* 2007 Mar 15;67(4):1088-98. *MD Anderson Cancer Center Orlando, Orlando*

[Soete G, De Cock M, Verellen D, Michielsen D, Keuppens F, Storme G.](#) X-ray-assisted positioning of patients treated by conformal arc radiotherapy for prostate cancer: Comparison of setup accuracy using implanted markers versus bony structures. *Int J Radiat Oncol Biol Phys.* 2007 Mar 1;67(3):823-7. *Academic Hospital Free University of Brussels, Brussels*

[Fuller CD, Thoas CR, Schwartz S, Golden N, Ting J, Wong A, Erdogmus D, Scarbrough TJ.](#) Method comparison of ultrasound and kilovoltage x-ray fiducial marker imaging for prostate radiotherapy targeting. *Phys Med Biol.* 2006 Oct 7;51(19):4981-93. *University of Texas Health Science Center, San Antonio, TX*

[Soete G, Verellen D, Tournel K, Storme G.](#) Setup accuracy of stereoscopic X-ray positioning with automated correction for rotational errors in patients treated with conformal arc radiotherapy for prostate cancer. *Radiother Oncol.* 2006 Sep;80(3):371-3. *Vrije Universiteit Brussel, BE.*

[Willoughby TR, Kupelian PA, Pouliot J, Shinohara K, Aubin M, Roach M 3rd, Skrumeda LL, Balter JM, Litzenberg DW, Hadley SW, Wei JT, Sandler HM.](#) Target localization and real-time tracking using the Calypso 4D localization system in patients with localized prostate cancer. *Int J Radiat Oncol Biol Phys.* 2006 Jun 1;65(2):528-34. *MD Anderson Cancer Center Orlando, Orlando*

[Kupelian PA, Willoughby TR, Meeks SL, Forbes A, Wagner T, Maach M, Langen KM.](#) Intraprostatic fiducials for localization of the prostate gland: monitoring intermarker distances during radiation therapy to test for marker stability. *Int J Radiat Oncol Biol Phys.* 2005 Aug 1;62(5):1291-6. *Anderson Cancer Ctr Orlando,*

[Madsen BL, Hsi RA, Pham HT, Presser J, Esagui L, Corman J, Myers L, Jones D.](#) Intrafractional stability of the prostate using a stereotactic radiotherapy technique. *Int J Radiat Oncol Biol Phys.* 2003 Dec 1;57(5):1285-91. *Virginia Mason Medical Center, Seattle, WA [Full Text + Links](#) | [PDF](#)*

[Lukka H, Pickles T, Morton G, Catton C, Souhami L, Warde P; Canadian GU Radiation Oncologist Group.](#) Prostate cancer radiotherapy 2002: the way forward. *Can J Urol.* 2005 Feb;12(1):2521-31. *Juravinski Cancer Centre, Hamilton, Ontario*

[Geinitz H, Zimmermann FB, Kuzmany A, Kneschaurek P.](#) Daily CT planning during boost irradiation of prostate cancer. Feasibility and time requirements. *Strahlenther Onkol.* 2000 Sep;176(9):429-32 *Universität München, Munich, DE*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

EXTRACRANIAL DISEASE – MIXED CLINICAL TARGETS

X-CRANIAL/nonCNS-OTHER

Jhaveri P, Teh BS, Bloch C, Amato R, Butler EB, Paulino AC. [Stereotactic body radiotherapy in the management of painful bone metastases](#). *Oncology (Williston Park)*. 2008 Jun;22(7):782-8; discussion 788-9, 796-7 *Methodist Hospital Research Institute and Baylor College of Medicine, Houston*

[Teh BS, Paulino AC, Lu HH, Chiu JK, Richardson S, Chiang S, Amato R, Butler EB, Bloch C](#). Versatility of the Novalis System to Deliver Image-Guided Stereotactic Body Radiation Therapy (SBRT) for Various Anatomical Sites. *Technol Cancer Res Treat*. 2007 Aug;6(4):347-54. *Methodist Hospital Research Institute and Baylor College of Medicine, Houston*

[Saw CB, Heron DE, Huq MS](#). Image-guided radiation therapy: part 3 - stereotactic body radiation therapy. *Med Dosim*. 2007 Summer;32(2):69-70. *University of Pittsburgh Medical Center, Pittsburgh, PA* [Full Text + Links](#) | [PDF](#)

[Timmerman RD, Kavanagh BD, Cho LC, Papiez L, Xing L](#). Stereotactic body radiation therapy in multiple organ sites. *J Clin Oncol*. 2007 Mar 10;25(8):947-52. *University of Texas Southwestern Medical Center, Dallas, TX*

[Hoyer M, Roed H, Traberg Hansen A, Ohlhuis L, Petersen J, Nellemann H, Kiiil Berthelsen A, Grau C, Aage Engelholm S, Von der Maase H](#). Phase II study on stereotactic body radiotherapy of colorectal metastases. *Acta Oncol*. 2006;45(7):823-30. *Aarhus University Hospital, Aarhus, DE*

[Kavanagh BD, McGarry RC, Timmerman RD](#). Extracranial radiosurgery (stereotactic body radiation therapy) for oligometastases. *Semin Radiat Oncol*. 2006 Apr;16(2):77-84. *University of Colorado Health Sciences Center, Aurora, CO*

Korremann SS, Pedersen AN, Nøttrup TJ, Specht L, Nyström H. [Breathing adapted radiotherapy for breast cancer: comparison of free breathing gating with the breath-hold technique](#). *Radiother Oncol*. 2005 Sep;76(3):311-8. *Rigshospitalet, Copenhagen, DE*

GENERAL RADIOSURGERY

General Applications of Radiosurgery and Stereotactic Body Radiotherapy

Blonigen BJ, Steinmetz RD, Levin L, Lamba MA, Warnick RE, Breneman JC. [Irradiated Volume as a Predictor of Brain Radionecrosis after Linear Accelerator Stereotactic Radiosurgery](#). *Int J Radiat Oncol Biol Phys*. 2009 Sep 22 *University of Cincinnati College of Medicine, Cincinnati, OH*. [Epub ahead of print]

Rahman M, Murad GJ, Bova F, Friedman WA, Mocco J. [Stereotactic radiosurgery and the linear accelerator: accelerating electrons in neurosurgery](#). *Neurosurg Focus*. 2009 Sep;27(3):E13. *University of Florida, Gainesville*

Milano MT, Katz AW, Okunieff P. [Patterns of Recurrence After Curative-Intent Radiation for Oligometastases Confined to One Organ](#). *Am J Clin Oncol*. 2009 Sep 18. *University of Rochester Medical Center, Rochester, New York* [Epub ahead of print]

Sahgal A, Ma L, Chang E, Shiu A, Larson DA, Laperriere N, Yin FF, Tsao M, Menard C, Basran PS, Létourneau D, Heydariyan M, Beachey D, Shukla V, Cusimano M, Hodaie M, Zadeh G, Bernstein M, Schwartz M. [Advances in technology for intracranial stereotactic radiosurgery](#). *Technol Cancer Res Treat*. 2009 Aug;8(4):271-80. includes *Duke University Medical Center, Durham, NC*

Lamba M, Breneman JC, Warnick RE. [Evaluation of Image-Guided Positioning for Frameless Intracranial Radiosurgery](#). *Int J Radiat Oncol Biol Phys*. 2009 Jul 1;74(3):913-9. *University of Cincinnati Neuroscience Institute, Cincinnati, OH*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

Lo SS, Fakiris AJ, Teh BS, Cardenes HR, Henderson MA, Forquer JA, Papiez L, McGarry RC, Wang JZ, Li K, Mayr NA, Timmerman RD. [Stereotactic body radiation therapy for oligometastases](#). Expert Rev Anticancer Ther. 2009 May;9(5):621-35. Review. Includes *Methodist Hospital Research Institute and Baylor College of Medicine, Houston*

Timmerman RD, Bizakis CS, Pass HI, Fong Y, Dupuy DE, Dawson LA, Lu D. [Local surgical, ablative, and radiation treatment of metastases](#). CA Cancer J Clin. 2009 May-Jun;59(3):145-70. Review. *University of Texas Southwestern, Dallas*

Lawson JD, Fox T., Waller AF., Davis L, Crocker I. [Multileaf Collimator-Based Linear Accelerator Radiosurgery: Five-Year Efficiency Analysis](#) *Journal of the American College of Radiology*, 2009 Mar 6(3):190-193. *Emory University, Atlanta*,

Bednarz G, Machtay M, Werner-Wasik M, Downes B, Bogner J, Hyslop T, Galvin J, Evans J, Curran W Jr, Andrews D. [Report on a randomized trial comparing two forms of immobilization of the head for fractionated stereotactic radiotherapy](#). Med Phys. 2009 Jan;36(1):12-7. *Jefferson Medical College, Philadelphia, Pennsylvania*

Wu QJ, Wang Z, Kirkpatrick JP, Chang Z, Meyer JJ, Lu M, Huntzinger C, Yin FF. [Impact of collimator leaf width and treatment technique on stereotactic radiosurgery and radiotherapy plans for intra- and extracranial lesions](#). Radiat Oncol. 2009 Jan 21;4(1):3. *Duke University, Durham, NC*

[Kavanagh B](#). Clinical experience shows that catastrophic late effects associated with ablative fractionation can be avoided by technological innovation. *Semin Radiat Oncol*. 2008 Oct;18(4):223-8. *University of Colorado, Denver*

[Timmerman RD](#). An overview of hypofractionation and introduction to this issue of seminars in radiation oncology. *Semin Radiat Oncol* 2008 Oct;18(4):215-22. *University of Texas Southwestern, Dallas*

[Nedzi LA](#). The implementation of ablative hypofractionated radiotherapy for stereotactic treatments in the brain and body: observations on efficacy and toxicity in clinical practice. *Semin Radiat Oncol*. 2008 Oct;18(4):265-72. *University of Texas Southwestern, Dallas*

[Kirkpatrick JP, Meyer JJ, Marks LB](#). The linear-quadratic model is inappropriate to model high dose per fraction effects in radiosurgery. *Semin Radiat Oncol*. 2008 Oct;18(4):240-3. *Duke University Medical Center, Raleigh*

[Jensen RL, Wendland MM, Chern SS, Shrieve DC](#). Novalis intensity-modulated radiosurgery: methods for pretreatment planning. *Neurosurgery*. 2008 May;62(5 Suppl):A2-10. *University of Utah Health Sciences Center, Salt Lake City*

[Wurm RE, Erbel S, Schwenkert I, Gum F, Agaoglu D, Schild R, Schlenger L, Scheffler D, Brock M, Budach V](#). Novalis frameless image-guided noninvasive radiosurgery: initial experience. *Neurosurgery*. 2008 May;62(5 Suppl):A11-8; *Charité-Universitätsmedizin Berlin*

[De Salles AA, Gorgulho AA, Selch M, De Marco J, Agazaryan N](#). Radiosurgery from the brain to the spine: 20 years experience. *Acta Neurochir Suppl*. 2008;101:163-8. *UCLA, Los Angeles*

[Papiez L, Timmerman R](#). Hypofractionation in radiation therapy and its impact. *Med Phys*. 2008 Jan;35(1):112-8. *University of Texas Southwestern Medical Center, Dallas*

[Yin FF, Wang Z, Yoo S, Wu QJ, Kirkpatrick J, Larrier N, Meyer J, Willett CG, Marks LB](#). Integration of Cone-Beam CT in Stereotactic Body Radiation Therapy. *Duke University Medical Center, Durham NC Technol Cancer Res Treat*. 2008 Apr;7(2):133-40. *Duke University Medical Center, Durham*

– RADIOSURGERY: THE CLINICAL POWER OF TWO –

[Chen JC, Rahimian J, Girvigian MR, Miller MJ.](#) Contemporary methods of radiosurgery treatment with the Novalis linear accelerator system. *Neurosurg Focus.* 2007;23(6):E4. *Southern California Permanente Medical Group, Los Angeles* [PDF](#)

[Huntzinger C, Friedman W, Bova F, Fox T, Bouchet L, Boeh L.](#) Trilogy image-guided stereotactic radiosurgery. *Med Dosim.* 2007 Summer;32(2):121-33. *University of Florida, Gainesville & Varian, Palo Alto* [Full Text + Links](#) | [PDF](#)

[Andrews DW, Bednarz G, Evans JJ, Downes B.](#) A review of 3 current radiosurgery systems. *Surg Neurol.* 2006 Dec;66(6):559-64. *Thomas Jefferson University Hospital, Philadelphia,* [Full Text + Links](#), [PDF](#)

[Kavanagh BD, Timmerman RD.](#) Stereotactic radiosurgery and stereotactic body radiation therapy: an overview of technical considerations and clinical applications. *Hematol Oncol Clin North Am.* 2006 Feb;20(1):87. *Univ of Colorado, Denver*

[Whang CJ, Yee GT, Choi CY, Sohn MJ, Lee DJ.](#) First experience in using Novalis shaped beam radiosurgery in Korea. *J Neurosurg.* 2004 Nov;101 Suppl 3:341-5. *Inje University, Gyoung gi, KR*

[Solberg TD, Goetsch SJ, Selch MT, Melega W, Lacan G, DeSalles AA.](#) Functional stereotactic radiosurgery involving a dedicated linear accelerator and gamma unit: a comparison study. *J Neurosurg.* 2004 Nov;101 Suppl 3:373-80. *UCLA, Los Angeles*

[Shrieve DC, Klish M, Wendland MM, Watson GA.](#) Basic principles of radiobiology, radiotherapy, and radiosurgery. *Neurosurg Clin N Am.* 2004 Oct;15(4):467-79. Review. *University of Utah, Salt Lake City*

[Law E, Mangarin E, Kelvin JF.](#) Nursing management of patients receiving stereotactic radiosurgery. *Clin J Oncol Nurs.* 2003 Jul-Aug;7(4):387-92. *Memorial Sloan-Kettering Cancer Center, NYC*

[Timmerman R, Papiez L, Suntharalingam M.](#) Extracranial stereotactic radiation delivery: expansion of technology beyond the brain. *Technol Cancer Res Treat.* 2003 Apr;2(2):153-60. Review. *Indiana University, Indianapolis*

[Stieber VW, Bourland JD, Tome WA, Mehta MP.](#) Gentlemen (and ladies), choose your weapons: Gamma knife vs. linear accelerator radiosurgery. *Technol Cancer Res Treat.* 2003 Apr;2(2):79-86. *Wake Forest University, Winston-Salem, NC*

[Papiez L, Timmerman R, DesRosiers C, Randall M.](#) Extracranial stereotactic radioablation: physical principles. *Acta Oncol.* 2003;42(8):882-94, *Indiana University, Indianapolis*

[Bova FJ, Goetsch SJ.](#) Modern linac stereotactic radiosurgery systems have rendered the Gamma Knife obsolete. *Med Phys.* 2001 Sep;28(9):1839-41. *University of Florida, Gainesville*

[Buatti JM, Meeks SL, Friedman WA, Bova FJ.](#) Stereotactic radiosurgery: techniques and clinical applications. *Surg Oncol Clin N Am.* 2000 Jul;9(3):469-87, *University of Florida, Gainesville*

[Joensuu H.](#) Novel cancer therapies: more efficacy, less toxicity and improved organ preservation. *Ann Med.* 2000 Feb;32(1):31-3. *Helsinki University Central Hospital, Finland*

[Buatti JM, Bova FJ, Friedman WA, Meeks SL, Marcus RB Jr, Mickle JP, Ellis TL, Mendenhall WM.](#) Preliminary experience with frameless stereotactic radiotherapy. *Int J Radiat Oncol Biol Phys.* 1998 Oct 1;42(3):591-9. *University of Florida, Gainesville*

[Meeks SL, Bova FJ, Friedman WA, Buatti JM, Mendenhall WM.](#) Linac scalpel radiosurgery at the University of Florida. *Med Dosim.* 1998 Fall;23(3):177-85. *University of Florida, Gainesville*

– *RADIOSURGERY: THE CLINICAL POWER OF TWO* –

[Bova FJ, Buatti JM, Friedman WA, Mendenhall WM, Yang CC, Liu C.](#) The University of Florida frameless high-precision stereotactic radiotherapy system. *Int J Radiat Oncol Biol Phys.* 1997 Jul 1;38(4):875-82. *University of Florida, Gainesville.*

[Das IJ, Downes MB, Corn BW, Curran WJ, Werner-Wasik M, Andrews DW.](#) Characteristics of a dedicated linear accelerator-based stereotactic radiosurgery-radiotherapy unit. *Radiother Oncol.* 1996 Jan;38(1):61-8. *Fox Chase Cancer Center, Philadelphia*

[Friedman WA, Bova FJ, Spiegelmann R.](#) Linear accelerator radiosurgery at the University of Florida., *Neurosurg Clin N Am.* 1992 Jan;3(1):141-66. *University of Florida, Gainesville.*

[Friedman WA.](#) Linear accelerator radiosurgery. *Clin Neurosurg.* 1992;38:445-71. Review *University of Florida, Gainesville.*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

TECHNICAL

Tumor Targeting & Treatment Accuracy & Delivery Speed

Linhout N, Bral S, Van de Vondel I, Verellen D, Tournel K, Gevaert T, Duchateau M, Reynders T, Storme G. [Treatment delivery time optimization of respiratory gated radiation therapy by application of audio-visual feedback.](#) *Radiother Oncol.* 2009 Jun;91(3):330-5. *Universitair Ziekenhuis Brussel, Belgium*

Hazard LJ, Wang B, Skidmore TB, Chern SS, Salter BJ, Jensen RL, Shrieve DC. Conformity of Linear Accelerator-based Stereotactic Radiosurgery Using Dynamic Conformal Arcs or Intensity Modulation and Micro-Multileaf Collimator. *Int J Radiat Oncol Biol Phys.* 2009 Feb 1;73(2):562-70. *University of Utah, Salt Lake City, UT*

Zimmerman J, Korreman S, Persson G, Cattell H, Svatos M, Sawant A, Venkat R, Carlson D, Keall P. [DMLC motion tracking of moving targets for intensity modulated arc therapy treatment: a feasibility study.](#) *Acta Oncol.* 2009;48(2):245-50. *Rigshospitalet, University of Copenhagen, Copenhagen, DK*

Hayashi N, Uchiyama Y, Mori Y, Hashizume C, Kobayashi T, Yamada M, Obata Y. [Evaluation of patient setup accuracy with Novalis system in stereotactic radiosurgery] *Nippon Hoshasen Gijutsu Gakkai Zasshi.* 2008 Jan 20;64(1):117-9. *Nagoya Kyoritsu Hospital, JP*

Chang J, Yenice KM, Narayana A, Gutin PH. Accuracy and feasibility of cone-beam computed tomography for stereotactic radiosurgery setup. *Med Phys.* 2007 Jun;34(6):2077-84. *Memorial Sloan-Kettering Cancer Center, New York*

Jin L, Wang L, Li J, Luo W, Feigenberg SJ, Ma CM. Investigation of optimal beam margins for stereotactic radiotherapy of lung-cancer using Monte Carlo dose calculations. *Phys Med Biol.* 2007 Jun 21;52(12):3549-61. *Fox Chase Cancer Center, Philadelphia*

Tenn SE, Solberg TD, Medin PM. Targeting accuracy of an image guided gating system for stereotactic body radiotherapy. *Phys Med Biol.* 2005 Dec 7;50(23):5443-62. *UCLA, Los Angeles*

Underberg RW, Lagerwaard FJ, Cuijpers JP, Slotman BJ, van Sornsen de Koste JR, Senan S. Four-dimensional CT scans for treatment planning in stereotactic radiotherapy for stage I lung cancer. *Int J Radiat Oncol Biol Phys.* 2004 Nov 15;60(4):1283-90. *VU University Medical Center, Amsterdam, NL, [Full Text + Links](#) | [PDF](#) (also in lung)*

Solberg TD, Agazaryan N, Goss BW, Dahlbom M, Lee SP. A feasibility study of 18F-fluorodeoxyglucose positron emission tomography targeting and simultaneous integrated boost for intensity-modulated radiosurgery and radiotherapy. *J Neurosurg.* 2004 Nov;101 Suppl 3:381-9 *UCLA, Los Angeles*

Yan H, Yin FF, Kim JH. A phantom study on the positioning accuracy of the Novalis Body system. *Med Phys.* 2003 Dec;30(12):3052-60. *Henry Ford Hospital, Detroit*

Grosu AL, Lachner R, Wiedenmann N, Stärk S, Thamm R, Kneschaurek P, Schwaiger M, Molls M, Weber WA. Validation of a method for automatic image fusion (BrainLAB System) of CT data and 11C-methionine-PET data for stereotactic radiotherapy using a LINAC: first clinical experience. *Int J Radiat Oncol Biol Phys.* 2003 Aug 1;56(5):1450-63. *Technical University Munich, DE*

van Sörnsen de Koste JR, Lagerwaard FJ, Nijssen-Visser MR, Graveland WJ, Senan S. Tumor location cannot predict the mobility of lung tumors: a 3D analysis of data generated from multiple CT scans. *Int J Radiat Oncol Biol Phys.* 2003 Jun 1;56(2):348-54. *VU University Medical Center, Amsterdam, NL, [Full Text + Links](#) | [PDF](#) (also in lung)*

Ryken TC, Meeks SL, Pennington EC, Hitchon P, Traynelis V, Mayr NA, Bova FJ, Friedman WA, Buatti JM. Initial clinical experience with frameless stereotactic radiosurgery: analysis of accuracy and feasibility. *Int J Radiat Oncol Biol Phys.* 2001 Nov 15;51(4):1152-8. *University of Florida, Gainesville*

– RADIOSURGERY: THE CLINICAL POWER OF TWO –

Image-Guidance

Lamba M, Breneman JC, Warnick RE. [Evaluation of Image-Guided Positioning for Frameless Intracranial Radiosurgery](#). *Int J Radiat Oncol Biol Phys*. 2009 Jul 1; 74(3):913-9. *University of Cincinnati Neuroscience Institute, Cincinnati, OH (also in General)*

Cho B, Poulsen PR, Sloutsky A, Sawant A, Keall PJ. [First Demonstration of Combined kV/MV Image-Guided Real-Time Dynamic Multileaf-Collimator Target Tracking](#). *Int J Radiat Oncol Biol Phys*. 2009 Jul 1;74(3):859-867. *Stanford University Medical Center, Palo Alto, CA*

Riegel AC, Chang JY, Vedam SS, Johnson V, Chi PC, Pan T. [Cine computed tomography without respiratory surrogate in planning stereotactic radiotherapy for non-small-cell lung cancer](#). *Int J Radiat Oncol Biol Phys*. 2009 Feb 1;73(2):433-41. *M.D. Anderson Cancer Center, Houston, TX*

Wang Z, Nelson JW, Yoo S, Wu QJ, Kirkpatrick JP, Marks LB, Yin FF. [Refinement of treatment setup and target localization accuracy using three-dimensional cone-beam computed tomography for stereotactic body radiotherapy](#). *Int J Radiat Oncol Biol Phys*. 2009 Feb 1;73(2):571-7. *Duke University Medical Center, Durham, NC*

Hong LX, Chen CC, Garg M, Yaparpalvi R, Mah D. [Clinical experiences with onboard imager KV images for linear accelerator-based stereotactic radiosurgery and radiotherapy setup](#). *Int J Radiat Oncol Biol Phys*. 2009 Feb 1;73(2):556-61. *Montefiore Medical Center, Bronx, NY*

Arimura H, Egashira Y, Shioyama Y, Nakamura K, Yoshidome S, Anai S, Nomoto S, Honda H, Toyofuku F, Higashida Y, Onizuka Y, Terashima H. [Computerized method for estimation of the location of a lung tumor on EPID cine images without implanted markers in stereotactic body radiotherapy](#). *Phys Med Biol*. 2009 Feb 7;54(3):665-77. *Kyushu University, Fukuoka, Japan*

[Jin JY, Yin FF, Tenn SE, Medin PM, Solberg TD](#). Use of the BrainLAB ExacTrac X-Ray 6D system in image-guided radiotherapy. *Med Dosim*. 2008 Summer;33(2):124-34.

[Heinzerling JH, Anderson JF, Papiez L, Boike T, Chien S, Zhang G, Abdulrahman R, Timmerman R](#). Four-dimensional computed tomography scan analysis of tumor and organ motion at varying levels of abdominal compression during stereotactic treatment of lung and liver. *Int J Radiat Oncol Biol Phys*. 2008 Apr 1;70(5):1571-8. *University of Texas Southwestern Medical Center, Dallas*

[Yin FF, Wang Z, Yoo S, Wu QJ, Kirkpatrick J, Larrier N, Meyer J, Willett CG, Marks LB](#). Integration of cone-beam CT in stereotactic body radiation therapy. *Technol Cancer Res Treat*. 2008 Apr;7(2):133-9.

[Lee SW, Jin JY, Guan H, Martin F, Kim JH, Yin FF](#). Clinical assessment and characterization of a dual tube kilovoltage X-ray localization system in the radiotherapy treatment room. *J Appl Clin Med Phys*. 2008 Jan 13;9(1):2318.

[Poulsen PR, Muren LP, Høyer M](#). Residual set-up errors and margins in on-line image-guided prostate localization in radiotherapy. *Radiother Oncol*. 2007 Nov;85(2):201-6. *Aarhus University Hospital, Aarhus, DK*

[Berbeco RI, Hacker F, Ionascu D, Mamon HJ](#). Clinical Feasibility of Using an EPID in cine Mode for Image-Guided Verification of Stereotactic Body Radiotherapy. *Int J Radiat Oncol Biol Phys*. 2007 Sep 1;69(1):258-66. *Brigham and Women's Cancer Center and Harvard Medical School, Boston*

[van Sörnsen de Koste JR, Cuijpers JP, de Geest FG, Lagerwaard FJ, Slotman BJ, Senan S](#). Verifying 4D gated radiotherapy using time-integrated electronic portal imaging: a phantom and clinical study. *Radiat Oncol*. 2007 Aug 30;2:32. *VU University medical center, Amsterdam, The Netherlands*, [PDF](#)

[Kim J, Li S, Pradhan D, Hammoud R, Chen Q, Yin FF, Zhao Y, Kim JH, Movsas B](#). Comparison of similarity measures for rigid-body CT/Dual X-ray image registrations. *Technol Cancer Res Treat*. 2007 Aug;6(4):337-46. *Duke University Medical Center, Durham, NC*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[D'Souza WD, Nazareth DP, Zhang B, Deyoung C, Suntharalingam M, Kwok Y, Yu CX, Regine WF.](#) The use of gated and 4D CT imaging in planning for stereotactic body radiation therapy. *Med Dosim.* 2007 Summer;32(2):92-101. *University of Maryland, Baltimore*

[Saw CB, Yang Y, Li F, Yue NJ, Ding C, Komanduri K, Hug S, Heron DE.](#) Performance characteristics and quality assurance aspects of kilovoltage cone-beam CT on medical linear accelerator. *Med Dosim.* 2007 Summer;32(2):80-5. *University of Pittsburgh Medical Center*

[Li T, Xing L, Munro P, McGuinness C, Chao M, Yang Y, Loo B, Koong A.](#) Four-dimensional cone-beam computed tomography using an on-board imager. *Med Phys.* 2006 Oct;33(10):3825-33. *Stanford University Medical Center, Palo Alto*

[Verellen D, Soete G, Linthout N, Tournel K, Storme G.](#) Optimal control of set-up margins and internal margins for intra- and extracranial radiotherapy using stereoscopic kilovoltage imaging. *Cancer Radiother.* 2006 Sep;10(5):235-44. *Vrije Universiteit Brussel, BE.*

[Saw CB, Heron DE, Yue NJ, Hug MS.](#) Cone-beam imaging and respiratory motion (IGRT)-part II. *Med Dosim.* 2006 Summer;31(2):89-90. *University of Pittsburgh Medical Center.*

[Yin FF, Das S, Kirkpatrick J, Oldham M, Wang Z, Zhou SM.](#) Physics and imaging for targeting of oligometastases. *Semin Radiat Oncol.* 2006 Apr;16(2):85-101. *Duke University Medical Center, Raleigh-Durham*

[Fox TH, Elder ES, Crocker IR, Davis LW, Landry JC, Johnstone PA.](#) Clinical implementation and efficiency of kilovoltage image-guided radiation therapy. *J Am Coll Radiol.* 2006 Jan;3(1):38-44. *Emory University, Atlanta*

[Miralbell R, Mollà M, Arnalte R, Canales S, Vargas E, Linero D, Waters S, Nouet P, Rouzaud M, Escudé L.](#) Target repositioning optimization in prostate cancer: is intensity-modulated radiotherapy under stereotactic conditions feasible? *Int J Radiat Oncol Biol Phys.* 2004 Jun 1;59(2):366-71. *Instituto Oncológico Teknon, Barcelona, SP*

[Meeks SL, Buatti JM, Bouchet LG, Bova FJ, Ryken TC, Pennington EC, Anderson KM, Friedman WA.](#) Ultrasound-guided extracranial radiosurgery: technique and application. *Int J Radiat Oncol Biol Phys.* 2003 Mar 15;55(4):1092-101. *University of Florida, Gainesville*

[Meeks SL, Bova FJ, Wagner TH, Buatti JM, Friedman WA, Foote KD.](#) Image localization for frameless stereotactic radiotherapy. *Int J Radiat Oncol Biol Phys.* 2000 Mar 15;46(5):1291-9. *University of Florida, Gainesville,*

[Bova FJ, Meeks SL, Friedman WA, Buatti JM.](#) Optic-guided stereotactic radiotherapy. *Med Dosim.* 1998 Fall;23(3):221-8. *University of Florida, Gainesville*

[Meeks SL, Bova FJ, Friedman WA, Buatti JM, Moore RD, Mendenhall WM.](#) IRLED-based patient localization for linac radiosurgery. *Int J Radiat Oncol Biol Phys.* 1998 May 1;41(2):433-9. *University of Florida, Gainesville*

Motion Tracking & Compensation

Cho B, Poulsen PR, Sloutsky A, Sawant A, Keall PJ. [First demonstration of combined kV/MV image-guided real-time dynamic multileaf-collimator target tracking.](#) *Int J Radiat Oncol Biol Phys.* 2009 Jul 1;74(3):859-867. *Stanford University, Stanford, CA*

Zhao B, Yang Y, Li T, Li X, Heron DE, Hug MS. [Image-guided respiratory-gated lung stereotactic body radiotherapy: which target definition is optimal?](#) *Med Phys.* 2009 Jun;36(6):2248-57. *University of Pittsburgh, Pittsburgh, PA*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

Zimmerman J, Korreman S, Persson G, Cattell H, Svatos M, Sawant A, Venkat R, Carlson D, Keall P. [DMLC motion tracking of moving targets for intensity modulated arc therapy treatment: a feasibility study.](#) *Acta Oncol.* 2009;48(2):245-50. *Rigshospitalet, University of Copenhagen, Copenhagen, DE*

Linhout N, Bral S, Van de Vondel I, Verellen D, Tournel K, Gevaert T, Duchateau M, Reynders T, Storme G. [Treatment delivery time optimization of respiratory gated radiation therapy by application of audio-visual feedback.](#) *Radiother Oncol.* 2009 Jun;91(3):330-5. *Universitair Ziekenhuis Brussel, BE*

[Haasbeek CJ, Spoelstra FO, Lagerwaard FJ, van Sörnsen de Koste JR, Cuijpers JP, Slotman BJ, Senan S.](#) Impact of Audio-Coaching on The Position of Lung Tumors. *Int J Radiat Oncol Biol Phys.* 2008 Jul 15;71(4):1118-23. *VU University Medical Center, Amsterdam, The Netherlands.*

[van der Weide L, van Sörnsen de Koste JR, Lagerwaard FJ, Vincent A, van Triest B, Slotman BJ, Senan S.](#) Analysis of Carina Position as Surrogate Marker for Delivering Phase-Gated Radiotherapy. *Int J Radiat Oncol Biol Phys.* 2008 Jul 15;71(4):1118-23. *VU University Medical Center, Amsterdam, The Netherlands.*

Sawant A, Venkat R, Srivastava V, Carlson D, Povzner S, Cattell H, Keall P. [Management of three-dimensional intrafraction motion through real-time DMLC tracking.](#) *Med Phys.* 2008 May;35(5):2050-61. *Stanford University, Stanford, California*

[Mao W, Wiersma RD, Xing L.](#) Fast internal marker tracking algorithm for onboard MV and kV imaging systems. *Med Phys.* 2008 May;35(5):1942-9. *Stanford University Medical Center, Palo Alto*

[Spoelstra FO, van Sörnsen de Koste JR, Cuijpers JP, Lagerwaard FJ, Slotman BJ, Senan S.](#) Analysis of reproducibility of respiration-triggered gated radiotherapy for lung tumors. *Radiother Oncol.* 2008 Apr;87(1):59-64. *VU University Medical Center, Amsterdam, The Netherlands.*

[Wiersma RD, Mao W, Xing L.](#) Combined kV and MV imaging for real-time tracking of implanted fiducial markers. *Med Phys.* 2008 Apr;35(4):1191-8. *Stanford University Medical Center, Palo Alto*

Juhler-Nøttrup T, Korreman SS, Pedersen AN, Persson GF, Aarup LR, Nyström H, Olsen M, Tarnavski N, Specht L. [Interfractional changes in tumour volume and position during entire radiotherapy courses for lung cancer with respiratory gating and image guidance.](#) *Acta Oncol.* 2008;47(7):1406-13. *The Finsen Centre, Rigshospitalet, Copenhagen, DE*

Korreman SS, Juhler-Nøttrup T, Fredberg Persson G, Navrsted Pedersen A, Enmark M, Nyström H, Specht L. [The role of image guidance in respiratory gated radiotherapy.](#) *Acta Oncol.* 2008;47(7):1390-6. Review. *Rigshospitalet, Copenhagen, Denmark*

Ruan D, Fessler JA, Balter JM. [Mean position tracking of respiratory motion.](#) *Med Phys.* 2008 Feb; 35(2):782-92. *University of Michigan, Ann Arbor, MI*

[Xu Q, Hamilton RJ, Schowengerdt RA, Jiang SB.](#) A deformable lung tumor tracking method in fluoroscopic video using active shape models: a feasibility study. *Phys Med Biol.* 2007 Sep 7;52(17):5277-93. *University of Arizona, Tucson (also in Lung)*

[Jin JY, Ajlouni M, Ryu S, Chen Q, Li S, Movsas B.](#) A technique of quantitatively monitoring both respiratory and nonrespiratory motion in patients using external body markers. *Med Phys.* 2007 Jul;34(7):2875-81. *Henry Ford Hospital, Detroit*

[Litzenberg DW, Willoughby TR, Balter JM, Sandler HM, Wei J, Kupelian PA, Cunningham AA, Bock A, Aubin M, Roach M 3rd, Shinohara K, Pouliot J.](#) Positional stability of electromagnetic transponders used for prostate localization and continuous, real-time tracking. *Int J Radiat Oncol Biol Phys.* 2007 Jul 15;68(4):1199-206. *University of Michigan, Ann Arbor (also in Prostate)*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Wagner TH, Meeks SL, Bova FJ, Friedman WA, Willoughby TR, Kupelian PA, Tome W.](#) Optical tracking technology in stereotactic radiation therapy. *Med Dosim.* 2007 Summer;32(2):111-20. *University of Florida, Gainesville*

Ahmed RS, Shen S, Ove R, Duan J, Fiveash JB, Russo SM. [Intensity modulation with respiratory gating for radiotherapy of the pleural space.](#) *Med Dosim.* 2007 Spring;32(1):16-22. *University of Alabama at Birmingham, Birmingham, AL*

[Kupelian P, Willoughby T, Mahadevan A, Djemil T, Weinstein G, Jani S, Enke C, Solberg T, Flores N, Liu D, Beyer D, Levine L.](#) Multi-institutional clinical experience with the calypso system in localization and continuous, real-time monitoring of the prostate gland during external radiotherapy. *Int J Radiat Oncol Biol Phys.* 2007 Mar 15;67(4):1088-98. *MD Anderson Cancer Center Orlando, Orlando (also in Prostate)*

[Kontriso K, Stock M, Dieckmann K, Bogner J, Pötter R, Georg D.](#) Dosimetric comparison of stereotactic body radiotherapy in different respiration conditions: a modeling study. *Radiother Oncol.* 2006 Oct;81(1):97-104. *Medical University Vienna, Vienna, AT*

[Willoughby TR, Forbes AR, Buchholz D, Langen KM, Wagner TH, Zeidan OA, Kupelian PA, Meeks SL.](#) Evaluation of an infrared camera and X-ray system using implanted fiducials in patients with lung tumors for gated radiation therapy. *Int J Radiat Oncol Biol Phys.* 2006 Oct 1;66(2):568-75. *MD Anderson Cancer Center Orlando, Orlando (also in Lung)*

Chi PC, Balter P, Luo D, Mohan R, Pan T. [Relation of external surface to internal tumor motion studied with cine CT.](#) *Med Phys.* 2006 Sep;33(9):3116-23. *M. D. Anderson Cancer Center, Houston, TX*

[Stock M, Kontriso K, Dieckmann K, Bogner J, Poetter R, Georg D.](#) Development and application of a real-time monitoring and feedback system for deep inspiration breath hold based on external marker tracking. *Med Phys.* 2006 Aug;33(8):2868-77. *Medical University Vienna, Vienna, AT*

Korremans SS, Pedersen AN, Josipović M, Aarup LR, Juhler-Nøttrup T, Specht L, Nyström H. [Cardiac and pulmonary complication probabilities for breast cancer patients after routine end-inspiration gated radiotherapy.](#) *Radiother Oncol.* 2006 Aug;80(2):257-62. *Copenhagen University Hospital, Copenhagen, DE*

[Huntzinger C, Munro P, Johnson S, Miettinen M, Zankowski C, Ahlstrom G, Glettig R, Filliberti R, Kaissl W, Kamber M, Amstutz M, Bouchet L, Klebanov D, Mostafavi H, Stark R.](#) Dynamic targeting image-guided radiotherapy. *Med Dosim.* 2006 Summer;31(2):113-25. Review. *University of Florida, Gainesville & Varian*

[Willoughby TR, Kupelian PA, Pouliot J, Shinohara K, Aubin M, Roach M 3rd, Skrumeda LL, Balter JM, Litzenberg DW, Hadley SW, Wei JT, Sandler HM.](#) Target localization and real-time tracking using the Calypso 4D localization system in patients with localized prostate cancer. *Int J Radiat Oncol Biol Phys.* 2006 Jun 1;65(2):528-34. *MD Anderson Cancer Center Orlando, Orlando (also in Prostate)*

[Verellen D, Tournel K, Linthout N, Soete G, Wauters T, Storme G.](#) Importing measured field fluences into the treatment planning system to validate a breathing synchronized DMLC-IMRT irradiation technique. *Radiother Oncol.* 2006 Mar;78(3):332-8. *Vrije Universiteit Brussel, Brussels, BE*

[Linthout N, Verellen D, Tournel K, Storme G.](#) Six dimensional analysis with daily stereoscopic x-ray imaging of intrafraction patient motion in head and neck treatments using five points fixation masks. *Med Phys.* 2006 Feb;33(2):504-13. *Academic Hospital-Free University, Brussels (also in H&N)*

[D'Souza WD, Kwok Y, Deyoung C, Zacharopoulos N, Pepelea M, Klahr P, Yu CX](#) Gated CT imaging using a free-breathing respiration signal from flow-volume spirometry. *Med Phys.* 2005 Dec;32(12):3641-9. *University of Maryland School of Medicine, Baltimore*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Underberg RW, Lagerwaard FJ, Slotman BJ, Cuijpers JP, Senan S.](#) Use of maximum intensity projections (MIP) for target volume generation in 4DCT scans for lung cancer. *Int J Radiat Oncol Biol Phys.* 2005 Sep 1;63(1):253-60. *VU University Medical Center, Amsterdam, NL* [also in lung]

[Underberg RW, Lagerwaard FJ, Slotman BJ, Cuijpers JP, Senan S.](#) Benefit of respiration-gated stereotactic radiotherapy for stage I lung cancer: an analysis of 4DCT datasets. *Int J Radiat Oncol Biol Phys.* 2005 Jun 1;62(2):554-60. *VU University Medical Center, Amsterdam, NL* [also in lung]

Berson AM, Emery R, Rodriguez L, Richards GM, Ng T, Sanghavi S, Barsa J. [Clinical experience using respiratory gated radiation therapy: comparison of free-breathing and breath-hold techniques.](#) *Int J Radiat Oncol Biol Phys.* 2004 Oct 1;60(2):419-26. *St. Vincent's Comprehensive Cancer Center, New York, NY*

[de Koste JR, Lagerwaard FJ, de Boer HC, Nijssen-Visser MR, Senan S.](#) Are multiple CT scans required for planning curative radiotherapy in lung tumors of the lower lobe? *Int J Radiat Oncol Biol Phys.* 2003 Apr 1;55(5):1394-9. *VU University Medical Center, Amsterdam, NL* [also in lung]

Nehmeh SA, Erdi YE, Ling CC, Rosenzweig KE, Schoder H, Larson SM, Macapinlac HA, Squire OD, Humm JL. [Effect of respiratory gating on quantifying PET images of lung cancer.](#) *J Nucl Med.* 2002 Jul;43(7):876-81. *Memorial Sloan-Kettering Cancer Center, New York, NY*

Ramsey CR, Cordrey IL, Oliver AL. [A comparison of beam characteristics for gated and nongated clinical x-ray beams.](#) *Med Phys.* 1999 Oct;26(10):2086-91. *Thompson Cancer Survival Center, Knoxville, TN*

Dose-Radiation Delivery-Radiobiology

Kirkpatrick JP, Brenner DJ, Orton CG. [Point/Counterpoint. The linear-quadratic model is inappropriate to model high dose per fraction effects in radiosurgery.](#) *Med Phys.* 2009 Aug;36(8):3381-4. *Duke University & Columbia University*

Tanyi JA, Summers PA, McCracken CL, Chen Y, Ku LC, Fuss M. [Implications of a high-definition multileaf collimator \(HD-MLC\) on treatment planning techniques for stereotactic body radiation therapy \(SBRT\): a planning study.](#) *Radiat Oncol.* 2009 Jul 10;4(1):22. *Oregon Health Science Center, Portland*

Geneser SE, Kirby RM, Wang B, Salter B, Joshi S. [Incorporating patient breathing variability into a stochastic model of dose deposition for stereotactic body radiation therapy.](#) *Inf Process Med Imaging.* 2009;21:688-700. *University of Utah, Salt Lake City*

Korremans S, Medin J, Kjaer-Kristoffersen F. [Dosimetric verification of RapidArc treatment delivery.](#) *Acta Oncol.* 2009;48(2):185-91. *Copenhagen University Hospital, Copenhagen, DK*

Vanetti E, Nicolini G, Clivio A, Fogliata A, Cozzi L. [The impact of treatment couch modelling on RapidArc.](#) *Phys Med Biol.* 2009 May 7;54(9):N157-66. *Oncology Institute of Southern Switzerland, Bellinzona, SZ*

Bush K, Townson R, Zavgorodni S. [Monte Carlo simulation of RapidArc radiotherapy delivery.](#) *Phys Med Biol.* 2008 Oct 7;53(19):N359-70. *University of Victoria, Victoria, BC*

Babic S, McNiven A, Battista J, Jordan K. [Three-dimensional dosimetry of small megavoltage radiation fields using radiochromic gels and optical CT scanning.](#) *Phys Med Biol.* 2009 Apr 1;54(8):2463-2481 *University of Western Ontario, London, Ontario*

Ding M, Newman F, Chen C, Stuhr K, Gaspar LE. [Dosimetric comparison between 3DCRT and IMRT using different multileaf collimators in the treatment of brain tumors.](#) *Med Dosim.* 2009 Spring;34(1):1-8. *University of Colorado Health Science Center, Aurora, CO*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

Salter BJ, Fuss M, Sarkar V, Wang B, Rassiah-Szegedi P, Papanikolaou N, Hollingshaus S, Shrieve DC. [Optimization of isocenter location for intensity modulated stereotactic treatment of small intracranial targets.](#) *Int J Radiat Oncol Biol Phys.* 2009 Feb 1;73(2):546-55. *University of Utah, Salt Lake City, UT*

Wu QJ, Wang Z, Kirkpatrick JP, Chang Z, Meyer JJ, Lu M, Huntzinger C, Yin FF. [Impact of collimator leaf width and treatment technique on stereotactic radiosurgery and radiotherapy plans for intra- and extracranial lesions.](#) *Radiat Oncol.* 2009 Jan 21;4:3. *Duke University Medical Center, Durham*

Milano MT, Constine LS, Okunieff P. [Normal tissue toxicity after small field hypofractionated stereotactic body radiation.](#) *Radiat Oncol.* 2008 Oct 31;3:36. *University of Rochester Medical Center, Rochester, NY*

[Chang Z, Wang Z, Wu QJ, Yan H, Bowsheer J, Zhang J, Yin FF.](#) Dosimetric characteristics of Novalis Tx system with high definition multileaf collimator. *Med Phys.* 2008 Oct;35(10):4460-3, *Duke University Medical Center, Durham*

[Yang JN, Pino R.](#) Analytical calculation of central-axis dosimetric data for a dedicated 6-MV radiosurgery linear accelerator. *Med Phys.* 2008 Oct;35(10):4333-41. *MD Anderson, Houston*

[Hoffmann L.](#) Implementation and experimental validation of the high dose rate stereotactic treatment mode at Varian accelerators. *Acta Oncol.* 2008 Aug 29; 1-8 *Aarhus University Hospital, Aarhus, DN*

[Jensen RL, Wendland MM, Chern SS, Shrieve DC.](#) Novalis intensity-modulated radiosurgery: methods for pretreatment planning. *Neurosurgery.* 2008 May;62(5 Suppl):A2-9; discussion A9-10.

[Lawson JD, Elder E, Fox T, Davis L, Crocker I.](#) Quantification of dosimetric impact of implementation of on-board imaging (OBI) for IMRT treatment of head-and-neck malignancies. *Med Dosim.* 2007 Winter;32(4):287-94. *Emory University, Atlanta [also in Head & Neck]*

[Lee JW, Choi KS, Hong S, Kim YL, Chung JB, Lee DH, Choe BY, Jang HS, Suh TS.](#) Effects of static dosimetric leaf gap on MLC-based small-beam dose distribution for intensity-modulated radiosurgery. *J Appl Clin Med Phys.* 2007 Oct 24;8(4):2397, *Konkuk University Hospital, Republic of Korea.*

[Ding GX, Duggan DM, Coffey CW.](#) Accurate patient dosimetry of kilovoltage cone-beam CT in radiation therapy. *Med Phys.* 2008 Mar;35(3):1135-44. *Vanderbilt University School of Medicine, Nashville*

[Park C, Papiez L, Zhang S, Story M, Timmerman RD.](#) Universal survival curve and single fraction equivalent dose: useful tools in understanding potency of ablative radiotherapy. *Int J Radiat Oncol Biol Phys.* 2008 Mar 1;70(3):847-52, *UT Southwestern Medical Center, Dallas*

Otto K. [Volumetric modulated arc therapy: IMRT in a single gantry arc.](#) *Med Phys.* 2008 Jan;35(1):310-7. *Vancouver Cancer Centre, BC Cancer Agency, Vancouver, British Columbia*

[van Sornsen de Koste JR, Cuijpers JP, de Geest FG, Lagerwaard FJ, Slotman BJ, Senan S.](#) Verifying 4D gated radiotherapy using time-integrated electronic portal imaging: a phantom and clinical study. *Radiat Oncol.* 2007 Aug 30;2(1):32 *VU University Medical Center, Amsterdam, NL*

[Panettieri V, Wennberg B, Gagliardi G, Duch MA, Ginjaume M, Lax I.](#) SBRT of lung tumours: Monte Carlo simulation with PENELOPE of dose distributions including respiratory motion and comparison with different treatment planning systems. *Phys Med Biol.* 2007 Jul 21;52(14):4265-81. *Universitat Politècnica de Catalunya, Barcelona (also in lung)*

[Park DH, Shin D, Park SY, Park D, Kim TH, Shin KH, Yoon M, Kim DY, Cho KH.](#) Optimized matching of film dosimetry with calculated doses for IMRT quality assurance. *Phys Med.* 2007 Jun;23(2):49-57. *National Cancer Center, Ilsan-gu, Goyang, KR*

– *RADIOSURGERY: THE CLINICAL POWER OF TWO* –

[Abrego FC, Calcina CS, de Almeida A, de Almeida CE, Baffa O](#). Relative output factor and beam profile measurements of small radiation fields with an L-alanine/K-band EPR minidosimeter. *Med Phys*. 2007 May;34(5):1573-82. *University of São Paulo, Brazil*.

[Ding GX, Duggan DM, Coffey CW](#). Characteristics of kilovoltage x-ray beams used for cone-beam computed tomography in radiation therapy. *Phys Med Biol*. 2007 Mar 21;52(6):1595-615. *Vanderbilt University, Nashville*

[Roberge D, Ruo R, Souhami L](#). Killing two birds with one stone: a dosimetric study of dual target radiosurgery using a single isocenter. *Technol Cancer Res Treat*. 2006 Dec;5(6):613-7. *McGill University, Montreal*

[Lax I, Panettieri V, Wennberg B, Amor Duch M, Näslund I, Baumann P](#). Dose distributions in SBRT of lung tumors: Comparison between two different treatment planning algorithms and Monte-Carlo simulation including breathing motions. *Acta Oncol*. 2006;45(7):978-88. *Karolinska University Hospital and Institute, Stockholm, SW*

Kavanagh BD, Ding M, Scheffer TE, Stuhr K, Newman FA. [The dosimetric effect of inhomogeneity correction in dynamic conformal arc stereotactic body radiation therapy for lung tumors](#). *J Appl Clin Med Phys*. 2006 May 25;7(2):58-63. *University of Colorado, Aurora*

[Lee CM, Watson GA, Leavitt DD](#). Dynamic collimator optimization compared with fixed collimator angle in arc-based stereotactic radiotherapy: a dosimetric analysis. *Neurosurg Focus*. 2005 Jul 15;19(1):E12. *University of Utah, Salt Lake City*

[Belec J, Patrocínio H, Verhaegen F](#). Development of a Monte Carlo model for the Brainlab microMLC. *Phys Med Biol*. 2005 Mar 7;50(5):787-99. *McGill University, Montreal*

[Hsi WC, Zhang Y, Kirk MC, Bernard D, Chu JC](#). Limited accuracy of dose calculation for large fields at deep depths using the BrainSCAN v5.21 treatment planning system. *J Appl Clin Med Phys*. 2005 Spring;6(2):12-8. *Rush University Medical Center, Chicago*

[Jin JY, Yin FF, Ryu S, Ajlouni M, Kim JH](#). Dosimetric study using different leaf-width MLCs for treatment planning of dynamic conformal arcs and intensity-modulated radiosurgery. *Med Phys*. 2005 Feb;32(2):405-11. *Henry Ford Hospital, Detroit*

[de Pooter JA, Essers M, Nowak PJ, de Pan C, Heijmen BJ, Levendag PC](#). Stereotactic arc therapy for small elongated tumors using cones and collimator jaws; dosimetric and planning aspects. *Med Phys*. 2004 Dec;31(12):3444-51. *Erasmus Medical Center-Daniel den Hoed, Rotterdam*

[Hamm KD, Surber G, Schmucking M, Wurm RE, Aschenbach R, Kleinert G, Niesen A, Baum RP](#). Stereotactic radiation treatment planning and follow-up studies involving fused multimodality imaging. *J Neurosurg*. 2004 Nov;101 Suppl 3:326-33. *Charité-Universitätsmedizin, Berlin*

[Surber G, Hamm K, Kleinert G](#). Significance of different conformity indices for evaluation of radiosurgery treatment plans for vestibular schwannomas. *J Neurosurg*. 2004 Nov;101 Suppl 3:334-40. *Helios Klinikum Erfurt, Germany (also in Vestibular Schwannomas)*

[Agazaryan N, Ullrich W, Lee SP, Solberg TD](#). A methodology for verification of radiotherapy dose calculation. *J Neurosurg*. 2004 Nov;101 Suppl 3:356-61. *UCLA, Los Angeles*

[Tobler M, Leavitt DD, Watson G](#). Optimization of the primary collimator settings for fractionated IMRT stereotactic radiotherapy. *Med Dosim*. 2004 Summer;29(2):72-9. *University of Utah Health Science Center, Department of Radiation Oncology, Salt Lake City, UT*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Monk JE, Perks JR, Doughty D, Plowman PN.](#) Comparison of a micro-multileaf collimator with a 5-mm-leaf-width collimator for intracranial stereotactic radiotherapy. *Int J Radiat Oncol Biol Phys.* 2003 Dec 1;57(5):1443-9., *St. Bartholomew's Hospital, London*

[Dogan N, Glasgow GP.](#) Surface and build-up region dosimetry for obliquely incident intensity modulated radiotherapy 6 MV x rays. *Med Phys.* 2003 Dec;30(12):3091-6. *Loyola University, Maywood*

[Wagner TH, Bova FJ, Friedman WA, Buatti JM, Bouchet LG, Meeks SL.](#) A simple and reliable index for scoring rival stereotactic radiosurgery plans. *Int J Radiat Oncol Biol Phys.* 2003 Nov 15;57(4):1141-9. *University of Florida, Gainesville*

[Zygmanski P, Kung JH, Jiang SB, Chin L.](#) Dependence of fluence errors in dynamic IMRT on leaf-positional errors varying with time and leaf number. *Med Phys.* 2003 Oct;30(10):2736-49. *Brigham and Women's Hospital and Harvard Medical School, Boston*

[Linthout N, Verellen D, Van Acker S, De Cock M, Storme G.](#) Dosimetric evaluation of partially overlapping intensity modulated beams using dynamic mini-multileaf collimation. *Med Phys.* 2003 May;30(5):846-55, *Academic Hospital-Free University, Brussels, BE*

[Yu C, Shepard D.](#) Treatment planning for stereotactic radiosurgery with photon beams. *Technol Cancer Res Treat.* 2003 Apr;2(2):93-104. *University of Maryland, Baltimore*

[Kavanagh BD, Timmerman RD, Benedict SH, Wu Q, Schefter TE, Stuhr K, McCourt S, Newman F, Cardinale RM, Gaspar LF.](#) How should we describe the radiobiologic effect of extracranial stereotactic radiosurgery: equivalent uniform dose or tumor control probability? *Med Phys.* 2003 Mar;30(3):321-4. *University of Colorado Health Sciences Center, Aurora*

[Paskalev KA, Seuntjens JP, Patrocinio HJ, Podgorsak EB.](#) Physical aspects of dynamic stereotactic radiosurgery with very small photon beams (1.5 and 3 mm in diameter). *Med Phys.* 2003 Feb;30(2):111-8. *Montreal General Hospital, Québec, CA*

[Yin FF, Zhu J, Yan H, Gaun H, Hammoud R, Ryu S, Kim JH.](#) Dosimetric characteristics of Novalis shaped beam surgery unit. *Med Phys.* 2002 Aug;29(8):1729-38. *Henry Ford Hospital, Detroit*

[Linthout N, Verellen D, Van Acker S, Voordeckers M, Bretz A, Storme G.](#) Evaluation of dose calculation algorithms for dynamic arc treatments of head and neck tumors. *Radiother Oncol.* 2002 Jul;64(1):85-95. *Academic Hospital, Free University Brussels, BE*

[Fiveash JB, Murshed H, Duan J, Hyatt M, Caranto J, Bonner JA, Popple RA.](#) Effect of multileaf collimator leaf width on physical dose distributions in the treatment of CNS and head and neck neoplasms with intensity modulated radiation therapy. *Med Phys.* 2002 Jun;29(6):1116-9. *University of Alabama-Birmingham, AL*

[Wagner TH, Meeks SL, Bova FJ, Friedman WA, Buatti JM, Bouchet LG.](#) Isotropic beam bouquets for shaped beam linear accelerator radiosurgery. *Phys Med Biol.* 2001 Oct;46(10):2571-86. *University of Florida, Gainesville*

[Benedict SH, Cardinale RM, Wu Q, Zwicker RD, Broaddus WC, Mohan R.](#) Intensity-modulated stereotactic radiosurgery using dynamic micro-multileaf collimation. *Int J Radiat Oncol Biol Phys.* 2001 Jul 1;50(3):751-8. *Medical College of Virginia, Richmond*

[Leavitt DD, Watson G, Tobler M, Williams G, Gaffney DK, Shrieve DC.](#) Intensity-modulated radiosurgery / radiotherapy using a micromultileaf collimator. *Med Dosim.* 2001 Summer;26(2):143-50. *University of Utah, Salt Lake City*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Solberg TD, Boedeker KL, Fogg R, Selch MT, DeSalles AA](#). Dynamic arc radiosurgery field shaping: a comparison with static field conformal and noncoplanar circular arcs. *Int J Radiat Oncol Biol Phys*. 2001 Apr 1;49(5):1481-91. *UCLA, Los Angeles*

[Wagner TH, Yi T, Meeks SL, Bova FJ, Brechner BL, Chen Y, Buatti JM, Friedman WA, Foote KD, Bouchet LG](#). A geometrically based method for automated radiosurgery planning. *Int J Radiat Oncol Biol Phys*. 2000 Dec 1;48(5):1599-611. *University of Florida, Gainesville, FL*

[Meeks SL, Bova FJ, Buatti JM, Friedman WA, Eyster B, Kendrick LA](#). Analytic characterization of linear accelerator radiosurgery dose distributions for fast optimization. *Phys Med Biol*. 1999 Nov;44(11):2777-87, *University of Florida, Gainesville, FL*.

[Kubo HD, Wilder RB, Pappas CT](#). Impact of collimator leaf width on stereotactic radiosurgery and 3D conformal radiotherapy treatment plans. *Int J Radiat Oncol Biol Phys*. 1999 Jul 1;44(4):937-45. *University of California, Davis Medical Center, Sacramento*

[Verellen D, Linthout N, Bel A, Soete G, van den Berge D, D' Haens J, Storme](#). Assessment of the uncertainties in dose delivery of a commercial system for linac-based stereotactic radiosurgery. *Int J Radiat Oncol Biol Phys*. 1999 May 1;44(2):421-33. *Academic Hospital, Free University Brussels, BE*

[Buatti JM, Friedman WA, Meeks SL, Bova FJ](#). The radiobiology of radiosurgery and stereotactic radiotherapy. *Med Dosim*. 1998 Fall;23(3):201-7. *University of Florida, Gainesville, FL*

[Leavitt DD](#). Beam shaping for SRT/SRS. *Med Dosim*. 1998 Fall;23(3):229-36. *University of Utah School of Medicine, Salt Lake City*.

[Norrsgard FS, Sipila PM, Kulmala JA, Minn HR](#). Dose characteristics of in-house-built collimators for stereotactic radiotherapy with a linear accelerator. *Phys Med Biol*. 1998 Jun;43(6):1545-56. *University of Turku, Finland*

[Meeks SL, Buatti JM, Bova FJ, Friedman WA, Mendenhall WM](#). Treatment planning optimization for linear accelerator radiosurgery. *Int J Radiat Oncol Biol Phys*. 1998 Apr 1;41(1):183-97. *University of Florida, Gainesville, FL*

[Fan CJ, Devanna WG, Leybovich LB, Kurup RG, Hopkins BJ, Melian E, Anderson D, Glasgow GP](#). Dosimetry of very-small (5-10 mm) and small (12.5-40 mm) diameter cones and dose verification for radiosurgery with 6-MV X-ray beams. *Stereotact Funct Neurosurg*. 1996-1997;67(3-4):183-97. *Loyola University, Maywood, IL*

Kooy HM, Nedzi LA, Loeffler JS, Alexander E 3rd, Cheng CW, Mannarino EG, Holupka EJ, Siddon RL. [Treatment planning for stereotactic radiosurgery of intra-cranial lesions](#). *Int J Radiat Oncol Biol Phys*. 1991 Aug;21(3):683-93. *Joint Center for Radiation Therapy, Harvard Medical School, Boston*

Performance-QA-QC

Ling CC, Zhang P, Archambault Y, Bocanek J, Tang G, Losasso T. [Commissioning and quality assurance of RapidArc radiotherapy delivery system](#). *Int J Radiat Oncol Biol Phys*. 2008 Oct 1;72(2):575-81. *Memorial Sloan-Kettering Cancer Center, New York*

Nicolini G, Vanetti E, Clivio A, Fogliata A, Korreman S, Bocanek J, Cozzi L. [The GLAaS algorithm for portal dosimetry and quality assurance of RapidArc, an intensity modulated rotational therapy](#). *Radiat Oncol*. 2008 Sep 9;3:24. *Oncology Institute of Southern Switzerland, Bellinzona, Switzerland*.

[Solberg TD, Medin PM, Mullins J, Li S](#). Quality assurance of immobilization and target localization systems for frameless stereotactic cranial and extracranial hypofractionated radiotherapy. *Int J Radiat Oncol Biol Phys*. 2008;71(1 Suppl):S131-5. *University of Nebraska Medical Center, Omaha*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

[Park DH, Shin D, Park SY, Park D, Kim TH, Shin KH, Yoon M, Kim DY, Cho KH.](#) Optimized matching of film dosimetry with calculated doses for IMRT quality assurance. *Phys Med.* 2007 Jun;23(2):49-57. *National Cancer Center, Ilsan-gu, Goyang KR.*

[Yoo S, Kim GY, Hammoud R, Elder E, Pawlicki T, Guan H, Fox T, Luxton G, Yin FF, Munro P.](#) A quality assurance program for the on-board imagers. *Med Phys.* 2006 Nov;33(11):4431-47. *Duke University Medical Center, Durham*

[Rosca F, Lorenz F, Hacker FL, Chin LM, Ramakrishna N, Zygmanski P.](#) An MLC-based linac QA procedure for the characterization of radiation isocenter and room lasers' position. *Med Phys.* 2006 Jun;33(6):1780-7. *Brigham and Women's Hospital and Harvard Medical School, Boston*

[Ding GX, Duggan DM, Coffey CW.](#) Commissioning stereotactic radiosurgery beams using both experimental and theoretical methods. *Phys Med Biol.* 2006 May 21;51(10):2549-66. *Vanderbilt University, Nashville*

[Lightstone AW, Benedict SH, Bova FJ, Solberg TD, Stern RL; American Association of Physicists in Medicine Radiation Therapy Committee.](#) Intracranial stereotactic positioning systems: Report of the American Association of Physicists in Medicine Radiation Therapy Committee Task Group no. 68. *Med Phys.* 2005 Jul;32(7):2380-98. *MCVA, U of Florida, UCLA, Toronto-Sunnybrook*

[Hua C, Chang J, Yenice K, Chan M, Amols H.](#) A practical approach to prevent gantry-couch collision for linac-based radiosurgery. *Med Phys.* 2004 Jul;31(7):2128-34. *Memorial Sloan-Kettering Cancer Center, New York*

[Li K, Yu CX, Ma L.](#) Improving a scissor-action couch for conformal arc radiotherapy and radiosurgery. *J Appl Clin Med Phys.* 2004 Summer;5(3):62-5. *University of Maryland School of Medicine, Baltimore*

[Ramaseshan R, Heydarian M.](#) Comprehensive quality assurance for stereotactic radiosurgery treatments. *Phys Med Biol.* 2003 Jul 21;48(14):N199-205. *Princess Margaret Hospital, Toronto, CA*

[Paskalev KA, Seuntjens JP, Patrocino HJ, Podgorsak EB.](#) Physical aspects of dynamic stereotactic radiosurgery with very small photon beams (1.5 and 3 mm in diameter). *Med Phys.* 2003 Feb;30(2):111-8. *McGill University Health Centre, Montreal*

[Aaronson RF, DeMarco JJ, Chetty IJ, Solberg TD.](#) A Monte Carlo based phase space model for quality assurance of intensity modulated radiotherapy incorporating leaf specific characteristics. *Med Phys.* 2002 Dec;29(12):2952-8. *University of California, Los Angeles*

[Grebe G, Pfaender M, Roll M, Luedemann L, Wurm RE.](#) Dynamic arc radiosurgery and radiotherapy: commissioning and verification of dose distributions. *Int J Radiat Oncol Biol Phys.* 2001 Apr 1;49(5):1451-60. Erratum in: *Int J Radiat Oncol Biol Phys* 2001 Nov 1;51(3):865. *Charité-Universitätsmedizin, Berlin, DE*

[Cosgrove VP, Jahn U, Pfaender M, Bauer S, Budach V, Wurm RE.](#) Commissioning of a micro multi-leaf collimator and planning system for stereotactic radiosurgery. *Radiother Oncol.* 1999 Mar;50(3):325-36. *Universitätsklinikum Charité, Berlin, DE*

Animal Models

Basic Research

Zeman RJ, Wen X, Ouyang N, Rocchio R, Shih L, Alfieri A, Moorthy C, Etlinger JD. [Stereotactic radiosurgery improves locomotor recovery after spinal cord injury in rats.](#) *Neurosurgery.* 2008 Nov;63(5):981-8. *New York Medical College, Valhalla, New York*

– *RADIOSURGERY: THE CLINICAL POWER OF TWO* –

[Ernst-Stecken A, Jeske I, Hess A, Rodel F, Ganslandt O, Grabenbauer G, Sauer R, Brune K, Blumcke I.](#) Hypofractionated Stereotactic Radiotherapy to the Rat Hippocampus : Determination of Dose Response and Tolerance. *Strahlenther Onkol.* 2007 Aug;183(8):440-446, *University of Erlangen-Nuremberg, Erlangen, DE*

[Brunner TB, Ernst-Stecken A, Jeske I, Grabenbauer GG, Sauer R, Distel L.](#) Molecular verification of stereotactic radiotherapy in rats using ATMPs1981 immunofluorescence. *Radiother Oncol.* 2006 Apr;79(1):109-14, *University Hospitals of Erlangen, DE,*

[Jahan R, Solberg TD, Lee D, Medin P, Tateshima S, Sayre J, De Salles A, Vinters HV, Vinuela F.](#) Stereotactic radiosurgery of the rete mirabile in swine: a longitudinal study of histopathological changes. *Neurosurgery.* 2006 Mar;58(3):551-8; discussion 551-8. *UCLA, Los Angeles*

[Medin PM, Solberg TD, De Salles AA, Cagnon CH, Selch MT, Johnson JP, Smathers JB, Cosman ER.](#) Investigations of a minimally invasive method for treatment of spinal malignancies with LINAC stereotactic radiation therapy: accuracy and animal studies. *Int J Radiat Oncol Biol Phys.* 2002 Mar 15;52(4):1111-22. , *UCLA, Los Angeles* , [Full Text + Links](#) | [PDF](#)

[De Salles AA, Melega WP, Lacan G, Steele LJ, Solberg TD.](#) Radiosurgery performed with the aid of a 3-mm collimator in the subthalamic nucleus and substantia nigra of the vervet monkey. *J Neurosurg.* 2001 Dec;95(6):990-7. *UCLA, Los Angeles*

– **RADIOSURGERY: THE CLINICAL POWER OF TWO** –

LUMINARY EVIDENCE: WHO IS DOING RESEARCH & PUBLISHING

RADIOSURGERY PUBLISHED LUMINARY SITES

Mem. Sloan-Kettering Cancer Ctr, NY, NY
 New York Medical College, Valhalla, NY
 University of Rochester, Rochester, NY
 Brigham & Woman's / Harvard, Boston, MA
 University of Maryland, Baltimore, MD
 Va. Commonwealth / MCVA, Richmond, VA
 Emory University, Atlanta, GA
 Wake Forest, Winston-Salem, NC
 Duke University, Durham, NC
 Vanderbilt University, Nashville, TN
 University of Alabama, Birmingham, AL
 University of Florida, Gainesville, FL
 MD Anderson - Orlando, Orlando, FL
 UPMC, Pittsburgh, PA
 Thomas Jefferson, Philadelphia, PA
 University of Chicago, Chicago, IL
 Cleveland Clinic Foundation, Cleveland, OH

MD Anderson Cancer Center, Houston, TX
 Methodist H. - Baylor Coll. Med, Houston, TX
 UTHSS, San Antonio, TX
 UT Southwestern, Dallas, TX
 University of Arizona, Tucson, AZ
 Stanford UMC, Palo Alto, CA
 University of California, Los Angeles, CA
 Southern CA Permanente, Los Angeles, CA
 University of California, San Diego, CA
 Virginia Mason MC, Seattle, WA
 University of Utah, Salt Lake City, UT
 University of Colorado, Denver, CO
 Henry Ford Hospital, Detroit, MI
 University of Michigan, Ann Arbor, MI
 Rush-Presbyterian Medical Center, Chicago, IL
 Loyola University, Maywood, IL
 University of Cincinnati, Cincinnati, OH

International

Univ. of British Columbia, Vancouver, CA
 Inst Nat de Neurol y Neurocirugía, MX
 VU University Med Cntr, Amsterdam, NL
 Charité-Univer, Berlin, DE
 Helios Klinikum Erfurt, DE
 Technical University Munich, DE
 University Hospital Zurich, SZ
 Polyclinique Courlancy, Reims, FR
 Aarhus University, DN
 Helsinki University, FN
 Karolinska Hospital, Stockholm, SE
 Instituto Oncológico Teknon, Barcelona, SP
 Inje Univ - Ilsan Paik Hosp. Goyang City, KR
 Chang Gung Hosp, Tao Yuan, ROC

McGill University Health Centre, Montreal, CA
 University of Sao Paulo, BR
 AZ Vrije Universiteit, Brussels, BE
 University of Erlangen-Nuremberg, Erlangen, DE
 University of Munich, DE
 Medical University of Vienna, AT
 Centre Hosp. Univ. Vaudois, Lausanne, SZ
 Centre Rene Gauducheu, Nantes, FR
 St. Bartholomew's Hospital, London, UK
 Turku University, FN
 Sahlgrenska, Gothenberg, SE
 Hospital General Universitario, Valencia, SP

National Cancer Ctr, Ilsan-gu, Goyang, KR

– *RADIOSURGERY: THE CLINICAL POWER OF TWO* –

CLINICAL EVIDENCE: WHAT DISEASES & TARGETS ARE THEY TREATING

INTRACRANIAL: NEUROSURGEONS, NEUROLOGISTS, RADIATION ONCOLOGISTS

BRAIN TUMORS – BENIGN DISEASE

MENINGIOMA

VESTIBULAR SCHWANNOMA (ACOUSTIC NEUROMA)

PITUITARY ADENOMA

CRANIOPHARYNGIOMA

BRAIN TUMORS – MALIGNANT DISEASE

GLIOMA

GLIOBLASTOMA

BRAIN TUMORS – METASTATIC DISEASE

LUNG

MELANOMA

BREAST

OTHER

BRAIN TUMORS – PEDIATRIC TARGETS

EPENDYMOMA

HYPOTHALAMIC HAMARTOMA

BRAIN – FUNCTIONAL DISEASE

AVMS

TRIGEMINAL NEURALGIA

SEIZURE TREATMENT – Thalamotomy, Corpus Callosotomy

SPINE: SPINE SURGEONS, ORTHOPEDIC ONC. SURGEONS, RADIATION ONCOLOGISTS

GLIOMAS

SARCOMAS

SPINAL METASTASES

PARASPINAL TUMORS

EXTRACRANIAL NON-CNS

H&N-EENT: OPHTHALMOLOGISTS, ENT SURGEONS, H&N SURGEONS, RAD. ONCOLOGISTS

MELANOMA

GLOMUS JUGULARE

LUNG: PULMONOLOGISTS, THORACIC SURGEONS, RADIATION ONCOLOGISTS

NON-SMALL-CELL LUNG CANCER

PANCREAS & LIVER: GENERAL SURGEONS, RADIATION ONCOLOGISTS

PANCREATIC ADENOCARCINOMA

LIVER CARCINOMA

LIVER METASTASES

PROSTATE: UROLOGISTS

PROSTATIC ADENOMA

MUSCULOSKELETAL: SPINE SURGEONS, ORTHOPEDIC ONCOLOGIC SURGEONS

SARCOMAS